AUTHOR INDEX TO VOLUME 47

In this Index in alphabetical order are listed names of authors of all articles and letters. Full citation is given under first author only; reference is made from joint authors. Names which begin with a prefix are entered under the prefix. The month is given as a two letter notation in parentheses.

A

Aaronson C see Fyer AJ
Abelson JL, Nesse RM: Cholecystokinin-4 and panic (letter) 395 (Ap)
Adami H see Thaker GK
Adinoff B see Martin PR
Adinoff B, Martin PR, Bone GHA, Eckardt MJ, Roehrich L, George DT, Moss HB, Eskay R, Linnoila M, Goid PW: Hypothalamic- pituitary-adrenal axis functioning and cerebrospinal fluid corticotropin releasing hormone and corticotropin levels in alcoholics after recent and long-term abstinence, 325 (Ap)
Adrian C see Hamman C
Aghajanian GK see Delgado PL
Akil H see Young EA
Albert LG see Osser DN
Allen J see Depue RA
Alliger RJ see Andreasen NC; Swayze VW
Altshuler LL, Casanova MF, Goldberg TE, Kleinman JE: Hippocampus and parahippocampus in schizophrenic, suicide, and control brains, 1029 (No)
Amell R see Grillon C
Andreasen NC see Swayze VW
Andreasen NC, Ehrhardt JC, Swayze VW II, Alliger RJ, Yuh WTC, Cohen G, Ziebell S: Magnetic resonance imaging of brain in schizophrenia: pathophysiologic significance of structural abnormalities, 35 (Ja)
Andreasen NC, Flaum M, Swayze VW II, Tyrrell G, Arndt S: Positive and negative symptoms in schizophrenia: critical reappraisal, 615 (Jy)
Andreasen NC, Swayze VW II, Flaum M, Yates WR, Arndt S, McChesney C: Ventricular enlargement in schizophrenia evaluated with computed tomographic scanning: effects of gender, age and stage of illness, 1008 (No)
Angst J see Merikangas KR
Appelbaum PS see Hoge SK
Apter S see Sackeim HA
Arana GW see Cowley DS
Arango V, Ernsberger P, Marzuk PM, Chen J-S, Tierney H, Stanley M, Reis DJ, Mann JJ: Autoradiographic demonstration of increased serotonin 5-HT_2 and beta-adrenergic receptor binding sites in the brain of suicide victims, 1038 (No)
Aravagiri M see Van Putten T
Arbisi P see Depue RA
Areso P see Garcia-Sevilla JA
Arndt S see Andreasen NC

B

Babor T see Wing JK
Baer L, Jenike MA, Ricciardi JN II, Holland AD, Seymour RJ, Minichiello WE, Buttolph ML: Standardized assessment of personality disorders in obsessive-compulsive disorder, 826 (Se)
Baldessarini RJ, Marsh E: Fluoxetine and side effects (letter) 191 (Fe)
Barr CE see Mednick SA
Barr CE, Mednick SA, Munk-Jorgensen P: Exposure to influenza epidemics during gestation and adult schizophrenia: 40-year study, 869 (Se)
Barrettini W see Kaye WH
Barsky AJ, Wyshak G, Klerman GL: Transient hypochondriasis, 746 (Au)
Bastani B, Nash JF, Meltzer HY: Prolactin and cortisol responses to MK-212, a serotonin agonist, in obsessive-compulsive disorder, 833 (Se)
Bauer MS, Whybrow PC: Rapid cycling bipolar affective disorder: II. treatment of refractory rapid cycling with high-dose levothyroxine: preliminary study, 435 (My)
Bauer MS, Whybrow PC, Winokur A: Rapid cycling bipolar affective disorder: I. association with grade I hypothyroidism, 427 (My)
Beck JC see Hoge SK
Beckmann H see Heckers S
Beerama DGM: Do winter depressives experience summer nights in winter? (letter) 879 (Se)
Benjamin D see Nemeroff CB
Benkelfat C, Nordahl TE, Semple WE, King AC, Murphy DL, Cohen RM: Local cerebral glucose metabolic rates in obsessive-compulsive disorder: patients treated with clomipramine, 840 (Se)
Benowitz NL see Shiffman S
Berga SL see Parry BL
Bergman RL see Davidson M
Berman K see Goldberg T
Bernstein SE see Pigott TA
Berrettini WH see Wolkowitz OM
Berrettini WH, Goldin LR, Gelernter J, Gejman PV, Gershon ES, Detera-Wadleigh S: X-chromosome markers and manic-depressive illness: rejection of linkage to Xq28 in 9 bipolar pedigrees, 366 (Ap)
Bertelsen A, Gottesman II: Offspring of twins with schizophrenia (letter) 977 (Oc)
Biederman J, Rosenbaum JF, Hirshfeld DR, Faraone SV, Bolduc EA, Gersten M, Meminger SR, Kagan J, Snidman N, Reznick JS: Psychiatric correlates of behavioral inhibition in young children of parents with and without psychiatric disorders, 21 (Ja)
Biegon A see Gross-Isseroff R
Bigelow LB see Goldberg TE
Bland RC see Helzer JE
Blazer DG see Nemeroff CB
Bodkin A see Gunderson JG
Bolduc EA see Biederman J
Bondareff W, Raval J, Woo B, Hauser DL, Colletti PM: Magnetic resonance imaging and severity of dementia in older adults, 47 (Ja)
Bone GHA see Adinoff B; Martin PR
Bonneau RH see Glaser R
Boutin P see Maziade M
Bowler AE, Torrey EF: Influenza and schizophrenia: Helsinki vs Edinburgh (letter) 876 (Se)
Bracha HS: How old is lesion presenting as schizophrenia? relevance to laterality question (letter) 393 (Ap)
Braff DL see Grillon C
Braff DL, Geyer MA: Sensorimotor gating and schizophrenia: human and animal model studies, 181 (Fe)
Braiman S see Whitaker A
Brant-Zawadzki M see Fein G
Bravo G see Grob C
Breier A see Pickar D; Wolkowitz OM
Breitner JCS: Life table methods and assessment of familial risk in Alzheimer's disease (letter) 395 (Ap)
Breslau N: Does brain dysfunction increase children's vulnerability to environmental stress? 15 (Ja)
Bresolin LB see Heath L
Brook CPB see O'Connor DW
Broussolle EPM see London ED
Brown BS see Weddington WW
Brown GL see Kruesi MJP
Brown RP see Mann JJ; Sackeim HA
Brown S see Irwin M
Bruce ML see Sargeant JK
Brugha T see Wing JK
Burge D see Hamman C
Burke J see Wing JK
Burke JD Jr see Burke KC
Burke KC, Burke JD Jr, Regier DA, Rae DS: Age at onset of selected mental disorders in 5 community populations, 511 (Je)
Burney E see Hamman C
Butters N see Dupont R; Dupont RM
Buttolph ML see Baer L
Buysse DJ see Reynolds CF III

C

Caldwell C see Irwin M
Canino GJ see Helzer JE
Cannon TD, Mednick SA, Parnas J: Antecedents of predominantly negative- and predominantly positive-symptom schizophrenia in high-risk population, 622 (Jy)
Canoso RT see Lieberman JA
Caron C see Maziade M
Casanova MF see Altshuler LL
Cascella NG see London ED
Case WG see Rickels K; Schweizer E
Cavenar JO Jr see Davidson J
Cavicchia S see Kramer MS
Chabert N see Van Putten T
Charney DS see Delgado PL; Goodman WK; Price LH
Chen J-S see Arango V; Mann JJ
Christiansen J see Noyes R Jr
Chung A-M see Sledge WH
Civelli O see Gelernter J
Coccaro E see Siever LJ
Coccaro EF, Gabriel S, Mahon T, Macaluso J, Siever LJ: Preliminary evidence of serotonin (5-HT-1-like) component to prolactin response to buspirone challenge in humans (letter) 594 (Je)
Coccaro EF, Siever LJ, Klar HM, Maurer G, Cochrane K, Cooper TB, Mohs RC, Davis KL: Serotonergic studies in patients with affective and personality disorders: correlates with suicidal and impulsive aggressive behavior, 46:587 (Jy); correction, 47:124 (Fe)
Cochrane K see Coccaro EF
Cohen B see Hollander E
Cohen B see Sterkstein SE
Cohen G see Andreasen NC
Cohen RM see Benkelfat C
Colletti PM see Bondareff W
Collins JF see Elkin I
Cone EJ see Weddington WW
Cooper JE see Raine A; Wing JK
Cooper TB see Coccaro EF
Coppola R, Gold J: What is left of attention in schizophrenia? (letter) 291 (Mr); 393 (Ap)
Cornes C see Frank E
Coryell W, Keller M, Lavori P, Endicott J: Affective syndromes, psychotic features, and prognosis I. depression, 651; II. mania, 658 (Jy)
Coryell WA see Noyes R Jr
Coryell WH see Zimmerman M
Costello EJ: Relevance of childhood psychiatric disorder for pediatric primary care consultations (letter) 89 (Ja)
Côté R see Maziade M
Courchesne E see Grillon C
Cousins N see Fawzy FI
Cowen PJ see Elphick M
Cowley DS see Roy-Byrne PP
Cowley DS, Arana GW: Diagnostic utility of lactate sensitivity in panic disorder, 277 (Mr)
Crowe RR, Noyes R Jr, Samuelson S, Wesner R, Wilson R: Close linkage between panic disorder and alpha-haptoglobin excluded in 10 families, 377 (Ap)

D

Dannals RF see London ED
Dantzic S see Devlin MJ
Davenport L see Fein G
Davidson J, Kudler H, Smith R, Mahorney SL, Lipper S, Hammett E, Saunders WB, Cavenar JO Jr: Treatment of posttraumatic stress disorder with amitriptyline and placebo, 259 (Mr)
Davidson M, Harvey PD, Bergman RL, Powchick P, Kaminsky R, Losonczy MF, Davis KL: Effects of D-1 agonist SKF-38393 combined with haloperidol in schizophrenic patients (letter) 190 (Fe)
Davies M see Whitaker A
Davis JM see Gibbons RD
Davis KL see Coccaro EF; Davidson M; Siever LJ
Dax EM see Weddington WW
Delgado PL see Goodman WK; Price LH
Delgado PL, Charney DS, Price LH, Aghajanian GK, Landis H, Heninger GR: Serotonin function and mechanism of antidepressant action: reversal of antidepressant-induced remission by rapid depletion of plasma tryptophan, 411 (My)
Delis D see Dupont R; Dupont RM
Depue RA, Arbisi P, Krauss S, Iacono WG, Leon A, Muir R, Allen J: Seasonal independence of low prolactin concentration and high spontaneous eye blink rates in unipolar and bipolar II seasonal affective disorder, 356 (Ap)
Detera-Wadleigh S see Berrettini WH
Devanand DP see Sackeim HA
Devlin MJ, Walsh BT, Kral JG, Heymsfield SB, Pi-Sunyer FX, Dantzic S: Metabolic abnormalities in bulimia nervosa, 144 (Fe)
Dew MA, Ragni MV, Nimorwicz P: Infection with human immunodeficiency virus and vulnerability to psychiatric distress: study of men with hemophilia, 737 (Au)
Dewey DA see Kramer MS
DiJohnson C see Kramer MS
Dillon KA see Gross-Isseroff R
Dillon W see Fein G
Dolinsky A see Whitaker A
Doran AR see Pickar D; Wolkowitz OM
Doran AR, Labarca R, Wolkowitz OM, Roy A, Douillet P, Pickar D: Circadian variation of plasma homovanillic acid levels is attenuated by fluphenazine in patients with schizophrenia, 558 (Je)
Douillet P see Doran AR
du Boulay G see Harvey I
Dupont R, Jernigan TL, Butters N, Delis D, Hesselink JR, Heindel W, Gillin JC: White matter abnormalities on magnetic resonance imaging in bipolar patients (letter) 1173 (De)
Dupont RM, Jernigan TL, Butters N, Delis D, Hesselink JR, Heindel W, Gillin JC: Subcortical abnormalities detected in bipolar affective disorder using magnetic resonance imaging: clinical and neuropsychological significance, 55 (Ja)
Duval F, Macher J-P, Mokrani M-C: Difference between evening and morning thyrotropin responses to protirelin in major depressive episode, 443 (My)
Dworkin SF, Von Korff M, LeResche L: Multiple pains and psychiatric disturbance: epidemiologic investigation, 239 (Mr)

E

Early TS see Posner MI
Eaton WW, Keyl PM: Risk factor for the onset of diagnostic interview schedule/*DSM-III* agoraphobia in a prospective, population- based study, 819 (Se)
Eckardt MJ see Martin PR
Eckert ED see Mitchell JE
Eckhardt MJ see Adinoff B
Egea E see Lieberman JA
Ehrhardt JC see Andreasen NC; Swayze VW
Ekstrom D, Quade D, Golden RN: Statistical analysis of repeated measures in psychiatric research, 770 (Au)
Elashoff R see Fawzy FI
Elkin I, Shea MT, Collins JF, Klett CJ, Imber SD, Sotsky SM, Watkins JT, Parloff MB: NIMH collaborative research on treatment of depression (letter) 684 (Jy)
Ellis P, Mellsop G: Development of DSM-IV (letter) 92 (Ja)
Elphick M, Yang J-D, Cowen PJ: Effects of carbamazepine on dopamine- and serotonin-mediated neuroendocrine responses, 135 (Fe)
Emslie GJ, Rush AJ, Weinberg WA, Rintelmann JW, Roffwarg HP: Children with major depression show reduced rapid eye movement latencies, 119 (Fe)
Endicott J see Coryell W; Harrison WM
Epstein RS: Nicotine use as a possible risk factor for subcortical abnormalities (letter) 1172 (De)
Ernsberger P see Arango V
Eskay R see Adinoff B

F

Fahey JL see Fawzy FI
Faraone SV see Biederman J
Farde L, Wiesel F-A, Stone-Elander S, Halldin C, Nordström A-L, Hall H, Sedvall G: D_2 dopamine receptors in neuroleptic-naive schizophrenic patients: positron emis-

sion tomography study with ($ = 11C)raclopride, 213 (Mr)
Fawzy FI, Cousins N, Fawzy NW, Kemeny ME, Elashoff R, Morton D: Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance, 720 (Au)
Fawzy FI, Kemeny ME, Fawzy NW, Elashoff R, Morton D, Cousins N, Fahey JL: Structured psychiatric intervention for cancer patients: II. changes over time in immunological measures, 729 (Au)
Fawzy NW see Fawzy FI
Federoff P see Starkstein SE
Fein G, Van Dyke C, Davenport L, Turetsky B, Brant-Zawadzki M, Zatz L, Dillon W, Valk P: Preservation of normal cognitive functioning in elderly subjects with extensive white-matter lesion of long duration, 220 (Mr)
Fendrich M, Weissman MM, Warner V, Mufson L: Two-year recall of lifetime diagnoses in offspring at high and low risk for major depression: the stability of offspring reports, 1121 (De)
Fenton WS see Sledge WH
Fernstrom MH see Stunkard AJ
Fieldust SJ see Gross-Isseroff R
Fink M: Clozapine and electroconvulsive therapy (letter) 290 (Mr)
Fireman MJ see Seck RL
First MB see Spitzer RL
Fischer LB see Shiffman S
Flaum M see Andreasen NC
Fleiss JL see Shapiro DR
Florio LP see Sergeant JK
Frank AF, Gunderson JG: Role of therapeutic alliance in treatment of schizophrenia: relationship to course and outcome, 228 (Mr)
Frank E see Kupfer DJ; Stunkard AJ
Frank E, Kupfer DJ, Perel JM, Cornes C, Jarrett DB, Mallinger AG, Thase ME, McEachran AB, Grochocinski VJ: Three-year outcomes for maintenance therapies in recurrent depression, 1093 (De)
Freedman DX: Déjà vu in depression research (editorial comment) 688 (Jy)
Fudge H see Harrington R
Fyer AJ see Hollander E
Fyer AJ, Mannuzza S, Gallops MS, Martin LY, Aaronson C, Gorman JM, Liebowitz MR, Klein DF: Familial transmission of simple phobias and fears: preliminary report, 252 (Mr)

G

Gabriel S see Coccaro EF
Gadow KD, Sprafkin J: Television violence (letter) 595 (Je)
Gallops MS see Fyer AJ
Gancher ST see Gelernter J
Ganzell S see Green MF
García-Sevilla JA, Padró D, Giralt MT, Guimón J, Areso P: Alpha$_2$-adrenoceptor-mediated inhibition of platelet adenylate cyclase and induction of aggregation in major depression: effect of long-term cyclic antidepressant drug treatment, 125 (Fe)
Garralda ME: Relevance of childhood psychiatric disorder for pediatric primary care consultations (letter) 89 (Ja)
Gejman PV see Barrettini WH
Gelernter J see Barrettini WH
Gelernter J, Pakstis AJ, Pauls DL, Kurlan R, Gancher ST, Civelli O, Grandy D, Kidd KK: Gilles de la Tourette syndrome is not linked to D_2-dopamine receptor, 1073 (No)
George CJ see Reynolds CF III
George DT see Adinoff B; Kaye WH
Gershon ES see Barrettini WH
Gersten M see Biederman J
Geyer MA see Braff DL; Grillon C
Gibbons RD, Davis JM, Hedeker DR: Comment on selection of 'healthy controls' for psychiatric experiments (letter) 785 (Au)
Giel R see Wing JK
Gillin JC see Dupont R; Dupont RM; Irwin M; Parry BL
Giralt MT see García-Sevilla JA
Glaser R, Kennedy S, Lafuse WP, Bonneau RH, Speicher C, Hillhouse J, Kiecolt-Glaser JK: Psychological stress-induced modulation of interleukin 2 receptor gene expression and interleukin 2 production in peripheral blood leukocytes, 707 (Au)
Glue P see Nutt DJ
Glue P, Nutt DJ: Lithium treatment effect on serotonin function (letter) 289 (Mr)
Goetz R see Walsh BT
Gold J see Coppola R
Gold JM see Goldberg TE
Gold PW see Adinoff B
Goldberg JF see Harrow M
Goldberg T, Berman K, Weinberger D: Teaching Wisconsin Card Sorting Test to schizophrenic patients (letter) 92 (Ja)
Goldberg TE see Altshuler LL
Goldberg TE, Regland JD, Torrey EF, Gold JM, Bigelow LB, Weinberger DR: Neuropsychological assessment of monozygotic twins discordant for schizophrenia, 1066 (No)
Golden RN see Ekstrom D
Goldin LR see Barrettini WH
Goodman WK, Price LH, Delgado PL, Palumbo J, Krystal JH, Nagy LM, Rasmussen SA, Heninger GR, Charney DS: Specificity of serotonin reuptake inhibitors in treatment of obsessive-compulsive disorder: comparison of fluvoxamine and desipramine, 577 (Je)
Gorman JM see Fyer AJ; Hollander E
Gottesman II see Bertelsen A
Grandy D see Gelernter J
Grayson R see London ED
Grebb JA, Greengard P: Analysis of synapsin II, a neuronal phosphoprotein, in postmortem brain tissue from alcoholic and neuropsychiatrically ill adults and medically ill children and young adults, 1149 (De)
Green MF, Ganzell S, Satz P, Vaclav JF: Teaching Wisconsin Card Sorting Test to schizophrenic patients (letter) 91 (Ja)
Greenberg MS see Pitman RK
Greenblatt DJ see Rickels K; Roy-Byrne PP; Schweizer E
Greengard P see Grebb JA
Greer A see Hoge SK
Grillon C, Courchesne E, Ameli R, Geyer MA, Braff DL: Increased distractibility in schizophrenic patients: electrophysiologic and behavioral evidence, 171 (Fe)
Grob C, Bravo G, Walsh R: Second thoughts on 3,4-methylenedioxymethamphetamine (MDMA) neurotoxicity (letter) 288 (Mr)
Grochocinski VJ see Frank E; Kupfer DJ
Gross-Isseroff R, Dillon KA, Fieldust SJ, Biegon A: Autoradiographic analysis of alpha$_1$-noradrenergic receptors in the human brain postmortem: effect of suicide, 1049 (No)
Grossman LS see Harrow M
Grover GN see Pigott TA
Grunhaus L see Young EA
Guan H-C see Seeman P
Guimón J see García-Sevilla JA
Gunderson JG see Frank AF
Gunderson JG, Ronningstam E, Bodkin A: Diagnostic interview for narcissistic patients, 676 (Jy)
Guthrie TG see Hoge SK
Gwirtsman H see Kaye WH

H

Haertzen CA see Weddington WW
Hall H see Farde L
Halldin C see Farde L
Halper JP see Mann JJ
Hamburger S see Kruesi MJP
Hammen C, Burge D, Burney E, Adrian C: Longitudinal study of diagnoses in children of women with unipolar and bipolar affective disorder, 1112 (De)
Hammett E see Davidson J
Harrington R, Fudge H, Rutter M, Pickles A, Hill J: Adult outcomes of childhood and adolescent depression: I. psychiatric status, 465 (My)
Harrison GN see Raine A
Harrison W see Quitkin FM
Harrison WM, Endicott J, Nee J: Treatment of premenstrual dysphoria with alprazolam: controlled study, 270 (Mr)
Harrow M, Goldberg JF, Grossman LS, Meltzer HY: Outcome in manic disorders: naturalistic follow-up study, 665 (Jy)
Harvey I, Ron M, du Boulay G, Murray R, Lewis S: White matter abnormalities on magnetic resonance imaging in bipolar patients (letter) 1172 (De)
Harvey PD see Davidson M
Haskett RF see Young EA
Hatsukami D see Mitchell JE
Hauser DL see Bondareff W
Heath L, Breaolin LB, Rinaldi RC: Television violence (letter) 596 (Je)
Heckers S, Heinsen H, Heinsen YC, Beckmann H: Limbic structures and lateral ventricle in schizophrenia: a quantitative postmortem study, 1016 (No)
Hedeker DR see Gibbons RD
Heindel W see Dupont R; Dupont RM
Heinsen H see Heckers S
Heinsen Y see Heckers S
Helzer JE, Canino GJ, Yeh E-K, Bland RC, Lee CK, Hwu H-G, Newman S: Alcoholism—North America and Asia: comparison of population surveys with diagnostic interview schedule, 313 (Ap)
Heninger GR see Delgado PL; Goodman WK; Price LH
Herning R see London ED
Herning RI see Weddington WW
Hesselink JR see Dupont R; Dupont RM
Heymsfield SB see Devlin MJ
Hibbs E see Kruesi MJP
Hill J see Harrington R
Hill JL see Pigott TA
Hiller W, Zaudig M, Mombour W: Development of diagnostic checklists for routine clinical care: a guideline designed to assess *DSM-III-R* diagnoses, 782 (Au)
Hillhouse J see Glaser R
Hirschfeld RMA: NIMH collaborative research on treatment of depression (letter) 685 (Jy)
Hirshfeld DR see Biederman J
Hoch CC see Reynolds CF III
Hoge SK, Appelbaum PS, Lawlor T, Beck JC, Litman R, Greer A, Guthrie TG, Kaplan E: Prospective, multicenter study of patients' refusal on antipsychotic medication, 949 (Oc)
Hollund AD see Baer L
Hollander E, Schiffman E, Cohen B, Rivera-Stein MA, Rosen W, Gorman JM, Fyer AJ, Papp L, Liebowitz MR: Signs of central nervous system dysfunction in obsessive-compulsive disorder, 27 (Ja)
Hommer D see Roy-Byrne PP
Honigfeld G see Kane JM
Horvath TB see Siever LJ
Houck PR see Reynolds CF III
Hsiao JK see Pickar D
Huttunen MO see Mednick SA
Hwu H-G see Helzer JE

I

Iacono WG see Depue RA
Imber SD see Elkin I
Irwin M, Caldwell C, Smith TL, Brown S, Schuckit MA, Gillin JC: Major depressive disorder, alcoholism, and reduced natural killer cell cytotoxicity: role of severity of depressive symptoms and alcohol consumption, 713 (Au)
Irwin M, Schuckit MA, Smith TL: Clinical importance of age at onset in type 1 and type 2 primary alcoholics, 320 (Ap)
Isler H see Merikangas KR

J

Jablensky A see Wing JK
Jaffe JH see London ED
Jain A see Levinson DF
Jarrett DB see Frank E
Jarrett DB, Miewald JM, Kupfer DJ: Recurrent depression is associated with persistent reduction in sleep-related growth hormone secretion, 113 (Fe)
Jenike MA see Baer L
Jernigan TL see Dupont R; Dupont RM
Johnson J see Whitaker A
Johnson J, Weissman MM, Klerman GL: Panic disorder, comorbidity, and suicide attempts, 805 (Se)
Johnson KS see Mann JJ

K

Kagan J see Biederman J
Kalikow K see Whitaker A
Kaminsky R see Davidson M
Kane JM see Lieberman JA
Kane JM, Honigfeld G, Singer J, Meltzer HY: Is clozapine response different in neuroleptic nonresponders vs partial responders? (letter) 189 (Fe)
Kaplan E see Hoge SK
Kaye WH, Berrettini W, Gwirtsman H, George DT: Altered cerebrospinal fluid neuropeptide Y and peptide YY immunoreactivity in anorexia and bulimia nervosa, 548 (Je)
Keefe RSE see Siever LJ
Keller M see Coryell W
Kemeny ME see Fawzy FI
Kemp IW see Kendell RE
Kendell RE, Kemp IW: Influenza and schizophrenia: Helsinki vs Edinburgh (letter) 876 (Se)
Kendler KS: Toward a scientific psychiatric nosology: strengths and limitations, 969 (Oc)
Kennedy S see Glaser R
Kern HE, Lewy AJ: Corrections and additions to history of light therapy and seasonal affective disorder (letter) 90 (Ja)
Keyl PM see Eaton WW
Kidd KK see Gelernter J
Kiecolt-Glaser JK see Glaser R
Kimes I see Kramer MS
King AC see Benkelfat C
Klar H see Siever LJ
Klar HM see Coccaro EF
Klauber MR see Parry BL
Klein DF see Fyer AJ; Quitkin FM
Klein DF: NIMH collaborative research on treatment of depression (letter) 682 (Jy)
Kleinman JE see Altshuler LL
Klerman GL see Barsky AJ; Johnson J
Klerman GL:
NIMH collaborative research on treatment of depression (letter) 686 (Jy)
Treatment of recurrent unipolar major depressive disorder. commentary on the Pittsburgh Study, 1158 (De)
Klett CJ see Elkin I
Kling MA see Wolkowitz OM
Knight DL see Nemeroff CB
Kocsis JH see Mann JJ
Konicki PE see Pickar D
Kotun J see Young EA
Kraemer HC, Pruyn JP: Evaluation of different approaches to randomized clinical trials: report on the 1987 MacArthur Foundation Network I Methodology Workshop, 1163 (De)
Kral JG see Devlin MJ
Kramer MS, Vogel WH, DiJohnson C, Dewey DA, Sheves P, Cavicchia S, Litle P, Schmidt R, Kimes I: Use of antidepressants in schizophrenia: diagnostic problems (letter) 979 (Oc)
Krauss S see Depue RA
Kripke DF see Parry BL
Krishnan KRR see Nemeroff CB
Kruesi MJP, Rapoport JL, Hamburger S, Hibbs E, Potter WZ, Lenane M, Brown GL: Cerebrospinal fluid monoamine metabolites, aggression, and impulsivity in disruptive behavior disorders of children and adolescents, 419 (My)
Krystal JH see Goodman WK; Price LH
Kudler H see Davidson J
Kupfer DJ see Frank E; Jarrett DB; Reynolds CF III; Stunkard AJ
Kupfer DJ, Frank E, McEachran AB, Grochocinski VJ: Delta sleep ratio: a biological correlate of early recurrence in unipolar affective disorder, 1100 (De)
Kurlan R see Gelernter J

L

Labarca R see Doran AR
Lafuse WP see Glaser R
Lahti A see Thaker GK
Landis H see Delgado PL
Lane EA see Martin PR
Laughlin GA see Parry BL
Lavori P see Coryell W
Lavori P: ANOVA, MANOVA, my black hen: comments on repeated measures, 775 (Au)
Lawlor T see Hoge SK
Lawson C see Nutt DJ
Leaf PJ see Sledge WH
Lee CK see Helzer JE
Lenane M see Kruesi MJP
Leon A see Depue RA

LaRasche L see Dworkin SF
Lavinson DF, Simpson GM, Singh H, Yadalam K, Jain A, Stephanos MJ, Silver P: Fluphenazine dose, clinical response, and extrapyramidal symptoms during acute treatment, 761 (Au)
Lewis S see Harvey I
Lewy AJ see Kern HE; Sack RL
Lieberman JA, Yunis J, Egea E, Canoso RT, Kane JM, Yunis EJ: HLA-B38, DR4, DQw3 and clozapine-induced agranulocytosis in Jewish patients with schizophrenia, 945 (Oc)
Liebowitz MR see Fyer AJ; Hollander E
Links JM see London ED
Linnoila M see Adinoff B; Martin PR; van Kammen DP
Lipper S see Davidson J
Little P see Kramer MS
Litman R see Hoge SK
London ED, Broussolle EPM, Links JM, Wong DF, Cascella NG, Dannals RF, Sano M, Herning R, Snyder FR, Rippetoe LR, Toung TJK, Jaffe JH, Wagner HN Jr: Morphine-induced metabolic changes in human brain: studies with positron emission tomography and [fluorine 18] fluorodeoxyglucose, 73 (Ja)
London ED, Cascella NG, Wong DF, Phillips RL, Dannals RF, Links JM, Herning R, Grayson R, Jaffe JH, Wagner HN Jr: Cocaine-induced reduction of glucose utilization in human brain: study using positron emission tomography and [fluorine 18]-fluorodeoxyglucose, 567 (Je)
Loranger AW: Impact of *DSM-III* on diagnostic practice in university hospital: comparison of *DSM-II* and *DSM-III* in 10 914 patients, 672 (Jy)
Losonczy MF see Davidson M
Luborsky L see Woody G

M

Macaluso J see Coccaro EF
Macher J-P see Duval F
Machón RA see Mednick SA
Mahler JC see Mann JJ
Mahon T see Coccaro EF
Mahorney SL see Davidson J
Mair RG see McEntee WJ
Mallinger AG see Frank E
Mann JJ see Arango V
Mann JJ, Mahler JC, Wilner PJ, Halper JP, Brown RP, Johnson KS, Kocsis JH, Chen J-S: Normalization of blunted lymphocyte beta-adrenergic responsivity in melancholic inpatients by course of electroconvulsive therapy, 461 (My)
Mannuzza S see Fyer AJ
Marder SR see Van Putten T
Marsh E see Baldessarini RJ
Martin LY see Fyer AJ
Martin PR see Adinoff B
Martin PR, Adinoff B, Eckardt MJ, Stapleton JM, Bone GAH, Lane EA, Linnoila M, Rubinow DR: Memory improvement in Korsakoff's disease with fluvoxamine (letter) 978 (Oc)
Marzuk PM see Arango V
Matzzie J see Reynolds CF III
Maurer G see Coccaro EF
Maziade M, Caron C, Côté R, Boutin P, Thivierge J: Extreme temperament and diagnosis: study in psychiatric sample of consecutive children, 477 (My)
McChesney C see Andreasen NC
McEachran AB see Frank E; Kupfer DJ
McEntee WJ, Mair RG: Memory improvement in Korsakoff's disease with fluvoxamine (letter) 978 (Oc)
McGrath PJ see Quitkin FM
McLellan AT see Woody G
Medley I see Raine A
Mednick SA see Barr CE; Cannon TD
Mednick SA, Machón RA, Huttunen MO, Barr CE: Influenza and schizophrenia: Helsinki vs Edinburgh (letter) 875 (Se)
Update on Helsinki influenza project (letter) 292 (Mr)
Mellsop G see Ellis P
Meltzer HY see Bastani B; Harrow M; Kane JM
Meltzer HY: Clozapine and electroconvulsive therapy (letter) 291 (Mr)
Meminger SR see Biederman J
Merikangas KR, Angst J, Isler H: Migraine and psychopathology: results of the Zurich cohort study of young adults, 849 (Se)
Meyerson LR see Nemeroff CB
Michaelson BS see Weddington WW
Miewald JM see Jarrett DB
Minichiello WE see Baer L
Mintz J see Van Putten T
Mitchell JE, Pyle RL, Eckert ED, Hatsukami D, Pomeroy C, Zimmerman R: Comparison study of antidepressants and structured intensive group psychotherapy in treatment of bulimia nervosa, 149 (Fe)
Moeller JR see Sackeim HA
Moha RC see Coccaro EF; Siever LJ
Mokrani M-C see Duval F
Mombour W see Hiller W
Moran M see Thaker GK
Morton D see Fawzy FI
Moss HB see Adinoff B
Mufson L see Fendrich M
Muir R see Deque RA
Mukherjee S see Sackeim HA
Munk-Jorgensen P see Barr CE
Murphy DL see Benkelfat C; Pigott TA
Murphy GE, Wetzel RD: Lifetime risk of suicide in alcoholism, 383 (Ap)
Murphy-Weinberg V see Young EA
Murray R see Harvey I

N

Nagy LM see Goodman WK
Nash JF see Bastani B
Nee J see Harrison WM
Nemeroff CB, Krishnan KRR, Blazer DG, Knight DL, Benjamin D, Meyerson LR: Elevated plasma concentrations of Alpha$_1$-acid glycoprotein, putative endogenous inhibitor of tritiated imipramine binding site, in depressed patients, 337 (Ap)
Nesse RM see Abelson JL
Newman S see Heizer JE
Neylan T see van Kammen DP
Neylan TC, Wright BA, Shelton MD, van Kammen DP: More on ethics of drug discontinuation studies in schizophrenia (letter) 192 (Fe)
Nimorwicz P see Dew MA
Niznik HB see Seeman P
Nordahl TE see Benkelfat C
Nordström A-L see Farde L
Noyes R Jr see Crowe RR
Noyes R Jr, Reich J, Christiansen J, Suelzer M, Pfohl B, Coryell WA: Outcome of panic disorder: relationship to diagnostic subtypes and comorbidity, 809 (Se)
Nunes E see Quitkin FM
Nutt DJ see Glue P
Nutt DJ, Glue P, Lawson C, Wilson S: Flumazenil provocation of panic attacks: evidence for altered benzodiazepine receptor sensitivity in panic disorder, 917 (Oc)

O

O'Brien CP see Woody G
O'Connor DW, Pollitt PA, Roth M, Brook CPB, Reiss BB: Memory complaints and impairment in normal, depressed, and demented elderly persons identified in community survey, 224 (Mr)
Ocepek-Welikson K see Quitkin FM
Orr SP see Pitman RK
Osser DN: Use of antidepressants in schizophrenia: diagnostic problems (letter) 979 (Oc)
Osser DN, Albert LG: Is clozapine response different in neuroleptic nonresponders vs partial responders? (letter) 189 (Fe)

P

Padrón D see García-Sevilla JA
Pakkenberg B: Pronounced reduction of total neuron number in mediodorsal thalamic nucleus and nucleus accumbens in schizophrenics, 1023 (No)
Pakatis AJ see Gelernter J
Palumbo J see Goodman WK
Papp L see Hollander E
Parikh RM see Starkstein SE
Parloff MB see Elkin I
Parnas J see Cannon TD
Parry BL, Berga SL, Kripke DF, Klauber MR, Laughlin GA, Yen SSC, Gillin JC: Altered waveform of plasma nocturnal melatonin secretion in premenstrual depression, 1139 (De)
Pato CN see Pickar D
Pato MT see Pigott TA
Paula DL see Gelernter J
Perel JM see Frank E
Peters J see van Kammen DP
Pfohl B see Noyes R Jr
Phillips RL see London ED
Pi-Sunyer FX see Devlin MJ
Pickar D see Doran AR; Wolkowitz OM
Pickar D, Breier A, Hsiao JK, Doran AR, Wolkowitz OM, Pato CN, Konicki PE, Potter WZ: Cerebrospinal fluid and plasma monoamine metabolites and their relation to psychosis: implications for regional brain dysfunction in schizophrenia, 641 (Jy)
Pickles A see Harrington R
Pigott TA, Pato MT, Bernstein SE, Grover GN, Hill JL, Tolliver TJ, Murphy DL: Controlled comparisons of clomipramine and fluoxetine in the treatment of obsessive-compulsive disorder: behavioral and biological results, 926 (Oc)
Pinkham L see Siever LJ
Pitman RK, van der Kolk BA, Orr SP, Greenberg MS: Naloxone-reversible analgesic response to combat-related stimuli in posttraumatic stress disorder: pilot study, 541 (Je)
Pollitt PA see O'Connor DW
Pomeroy C see Mitchell JE
Posner MI, Early TS: What is left of attention in schizophrenia? 394 (Ap)
Potter WZ see Kruesi MJP; Pickar D
Powchik P see Davidson M
Price LH see Delgado PL; Goodman WK
Price LH, Charney DS, Delgado PL, Heninger GR: Lithium treatment effect on serotonin function (letter) 290 (Mr)
Price LH, Krystal JH, Heninger GR, Ricaurte GA: Second thoughts on 3,4-methylenedioxymethamphetamine (MDMA) neurotoxicity (letter) 289 (Mr)
Price RA see Stunkard AJ
Price TR see Starkstein SE
Prohovnik I see Sackeim HA
Prudic J see Sackeim HA
Pruyn JP see Kraemer HC
Pyle RL see Mitchell JE

Q

Quade D see Ekstrom D
Quitkin FM see Shapiro DR
Quitkin FM, McGrath PJ, Stewart JW, Harrison W, Tricamo E, Wager SG, Ocepek-Welikson K, Nunes E, Rabkin JG, Klein DF: Atypical depression, panic attacks, and response to imipramine and phenelzine: a replication, 935 (Oc)

R

Rabkin JG see Quitkin FM
Rae DS see Burke KC
Ragland JD see Goldberg TE
Ragni MV see Dew MA
Raine A, Harrison GN, Reynolds GP, Sheard C, Cooper JE, Medley I: Structural and functional characteristics of the corpus callosum in schizophrenics, psychiatric controls, and normal controls: a magnetic resonance imaging and neuropsychological evaluation, 1060 (No)
Raine A, Venables PH, Williams M: Relationships between central and autonomic measures of arousal at age 15 years and criminality at age 24 years, 1003 (No)
Rapoport JL see Kruesi MJP; Whitaker A
Rashkis HA: Déjà vu in depression research (letter) 688 (Jy)
Rasmussen SA see Goodman WK
Raval J see Bondareff W
Regier D see Wing JK
Regier DA see Burke KC
Reich J see Noyes R Jr
Reis DJ see Arango V
Reiss BB see O'Connor DW
Remé C, Terman M, Wirz-Justice A: Are deficient retinal photoreceptor renewal mechanisms involved in the pathogenesis of winter depression? (letter) 878 (Se)
Reynolds CF III, Buysse DJ, Kupfer DJ, Hoch CC, Houck PR, Matzzie J, George CJ: Rapid eye movement sleep deprivation as a probe in elderly subjects, 1128 (De)
Reynolds GP see Raine A
Reznick JS see Biederman J
Ricaurte GA see Price LH
Ricciardi JN II see Baer L
Rickels K see Schweizer E
Rickels K, Schweizer E, Case WG, Greenblatt DJ: Long-term therapeutic use of benzodiazepines: 1. Effects of abrupt discontinuation, 899 (Oc)
Rinaldi P see Siever LJ
Rinaldi RC see Heath L
Rinteimann JW see Emslie GJ
Rippetoe LR see London ED
Rivera-Stein MA see Hollander E
Rivier J see Young EA
Robinson RG see Starkstein SE
Roehrich L see Adinoff B
Roffwarg HP see Emslie GJ
Ron M see Harvey I
Ronningstam E see Gunderson JG
Rosen W see Hollander E
Rosenbaum JF see Biederman J
Rosenthal NE see Wehr TA
Roth M see O'Connor DW
Roy A see Doran AR
Roy-Byrne PP, Cowley DS, Greenblatt DJ, Shader RI, Hommer D: Reduced benzodiazepine sensitivity in panic disorder, 534 (Je)
Rubinow D see Wolkowitz OM
Rubinow DR see Martin PR
Rush AJ see Emslie GJ
Rutter M see Harrington R

S

Sack RL, Lewy AJ, White DM, Singer CM, Fireman MJ, Vandiver R: Morning vs evening light treatment for winter depression: evidence that therapeutic effects of light are mediated by circadian phase shifts, 343 (Ap)
Sackeim HA, Prohovnik I, Moeller JR, Brown RP, Apter S, Prudic J, Devanand DP, Mukherjee S: Regional cerebral blood flow in mood disorders: 1. comparison of major depressives and normal controls at rest, 60 (Ja)
Samuelson S see Crowe RR
Sano M see London ED
Sargeant JK, Bruce ML, Florio LP, Weissman MM: Factors associated with 1-year outcome of major depression in community, 519 (Je)
Sartorius N see Wing JK
Satz P see Green MF
Saunders WB see Davidson J
Schiffman E see Hollander E
Schmidt R see Kramer MS
Schuckit MA see Irwin M
Schweizer E see Rickels K
Schweizer E, Rickels K, Case WG, Greenblatt DJ: Long-term therapeutic use of benzodiazepines: 2. Effects of gradual taper, 908 (Oc)
Sedvall G see Farde L
Seeman P, Niznik HB, Guan H-C: Elevation of dopamine$_2$ receptors in schizophrenia is underestimated by radioactive raclopride (letter) 1170 (De)
Semple WE see Benkelfat C
Seymour RJ see Baer L
Shader RI see Roy-Byrne PP
Shaffer D see Whitaker A
Shapiro DR, Quitkin FM, Fleiss JL: Unnecessary confusion about opposite findings in 2 studies of tricyclic treatment of bipolar illness (letter) 787 (Au)
Shaw D see van Kammen DP
Shea MT see Elkin I
Sheard C see Raine A
Shelton MD see Neylan TC
Shreve P see Kramer MS
Shiffman S, Fischer LB, Zettler-Segal M, Benowitz NL: Nicotine exposure among nondependent smokers, 333 (Ap)
Siever LJ see Coccaro EF
Siever LJ, Silverman JM, Horvath TB, Klar H, Coccaro E, Keefe RSE, Pinkham L, Rinaldi P, Moha RC, Davis KL: Increased morbid risk of schizophrenia-related disorders in relatives of schizotypal personality disordered patients, 634 (Jy)
Silver P see Lavinson DF
Silverman JM see Siever LJ

Simpson GM see Levinson DF
Singer CM see Sack RL
Singer J see Kane JM
Singh H see Levinson DF
Sledge WH, Leaf PJ, Fenton WS, Chung A-M: Training and career activity: experience of Yale Advanced Track Program, 82 (Ja)
Smith R see Davidson J
Smith TL see Irwin M
Snidman N see Biederman J
Snyder FR see London ED
Sotsky SM see Elkin I
Speicher C see Glaser R
Spitzer RL, First MB: Use of antidepressants in schizophrenia: diagnostic problems (letter) 980 (Oc)
Sprafkin J see Gadow KD
Stanley M see Arango V
Stapleton JM see Martin PR
Starkstein SE, Cohen BS, Federoff P, Parikh RM, Price TR, Robinson RG: Relationship between anxiety disorders and depressive disorders in patients with cerebrovascular injury, 246 (Mr)
Stephanos MJ see Levinson DF
Stewart JW see Quitkin FM
Stone-Elander S see Farde L
Stunkard AJ, Fernstrom MH, Price RA, Frank E, Kupfer DJ: Direction of weight change in recurrent depression: consistency across episodes, 857 (Se)
Suetzer M see Noyes R Jr
Swayze VW II see Andreasen NC
Swayze VW II, Andreasen NC, Alliger RJ, Ehrhardt JC, Yuh WTC: Structural brain abnormalities in bipolar affective disorder: ventricular enlargement and focal signal hyperintensities, 1054 (No)

T

Tamminga C see Thaker GK
Tamminga CA see Thaker GK
Terman M see Remé C
Thaker GK, Moran M, Lahti A, Adami H, Tamminga C: Psychiatric morbidity in research volunteers (letter) 980 (Oc)
Thaker GK, Moran M, Tamminga CA: GABAmimetics: new class of antidepressant agents? (letter) 287 (Mr)
Thase ME see Frank E
Thivierge J see Maziade M
Tierney H see Arango V
Tohen M, Waternaux CM, Tsuang MT: Outcome in mania: a 4-year prospective follow-up of 75 patients utilizing survival analysis, 1106 (De)
Tolliver TJ see Pigott TA
Torrey EF see Bowler AE; Goldberg TE
Torrey EF: Offspring of twins with schizophrenia (letter) 976 (Oc)
Toung TJK see London ED
Trisama E see Quitkin FM
Tsuang MT see Tohen M
Turetsky B see Fein G
Tyrrell G see Andreasen NC

V

Vaclav JF see Green MF
Vale W see Young EA
Valk P see Fein G
van der Kolk BA see Pitman RK
Van Dyke C see Fein G
van Kammen DP see Neylan TC
van Kammen DP, Peters J, Yao J, van Kammen WB, Neylan T, Shaw D, Linnoila M: Norepinephrine in acute exacerbations of chronic schizophrenia: negative symptoms revisited, 161 (Fe)
van Kammen WB see van Kammen DP
Van Putten T, Marder SR, Mintz J: Controlled dose comparison of haloperidol in newly admitted schizophrenic patients, 754 (Au)
Van Putten T, Marder SR, Wirshing WC, Chabert N, Aravagiri M: Surreptitious noncompliance with oral fluphenazine in voluntary inpatient population (letter) 786 (Au)
Vandiver R see Sack RL
Venables PH see Raine A
Vogel WH see Kramer MS
Von Korff M see Dworkin SF

W

Wager SG see Quitkin FM
Wagner HN Jr see London ED
Walsh BT see Devlin MJ; Whitaker A
Walsh BT, Goetz R: Sleep architecture in eating disorders (letter) 880 (Se)
Walsh R see Grob C
Warner V see Fendrich M
Waternaux CM see Tohen M
Watkins JT see Elkin I
Watson SJ see Young EA
Weddington WW, Brown BS, Haertzen CA, Cone EJ, Dax EM, Herning RI, Michaelson BS: Changes in mood, craving, and sleep during short-term abstinence reported by male cocaine addicts: a controlled residential study, 861 (Se)
Wehr TA: Unnecessary confusion about opposite findings in 2 studies of tricyclic treatment of bipolar illness (letter) 787 (Au)
Wehr TA, Rosenthal NE: Corrections and additions to history of light therapy and seasonal affective disorder (letter) 90 (Ja)
Weinberg WA see Emslie GJ
Weinberger D see Goldberg T
Weinberger DR see Goldberg TE
Weissman MM see Fendrich M; Johnson J; Sargeant JK
Wesner R see Crowe RR
Wetzel RD see Murphy GE
Whitaker A, Johnson J, Shaffer D, Rapoport JL, Kalikow K, Walsh BT, Davies M, Braiman S, Dolinsky A: Uncommon troubles in young people: prevalence estimates of selected psychiatric disorders in nonreferred adolescent population, 487 (My)
White DM see Sack RL
Whybrow PC see Bauer MS
Wiesel F-A see Farde L
Williams M see Raine A
Wilner PJ see Mann JJ
Wilson R see Crowe RR
Wilson S see Nutt DJ
Wing JK, Babor T, Brugha T, Burke J, Cooper JE, Giel R, Jablenski A, Regier D, Sartorius N: SCAN: schedules for clinical assessment in neuropsychiatry, 589 (Je)
Winokur A see Bauer MS
Wirshing WC see Van Putten T
Wirz-Justice A see Remé C
Wolkowitz OM see Doran AR; Pickar D
Wolkowitz OM, Rubinow D, Doran AR, Breier A, Berrettini WH, Kling MA, Pickar D: Prednisone effects on neurochemistry and behavior: preliminary findings, 963 (Oc)
Wong DF see London ED
Woo B see Bondareff W
Woody G, Luborsky L, McLellan AT, O'Brien CP: Corrections and revised analyses for psychotherapy in methadone maintenance patients (letter) 788 (Au)
Wright BA see Neylan TC
Wyshak G see Barsky AJ

Y

Yadalam K see Levinson DF
Yang J-D see Elphick M
Yao J see van Kammen DP
Yates WR see Andreasen NC
Yeh E-K see Helzer JE
Yen SSC see Parry BL
Young EA, Watson SJ, Kotun J, Haskett RF, Grunhaus L, Murphy-Weinburg V, Vale W, Rivier J, Akil H: Beta-lipotropin—beta-endorphin response to low-dose ovine corticotropin releasing factor in endogenous depression: preliminary studies, 449 (My)
Yuh WTC see Andreasen NC; Swayze VW
Yunis EJ see Lieberman JA
Yunis J see Lieberman JA

Z

Zatz L see Fein G
Zaudig M see Hiller W
Zettler-Segal M see Shiffman S
Ziebell S see Andreasen NC
Zimmerman M: Is *DMS-IV* needed at all? (letter) 974 (Oc)
Zimmerman M, Coryell WH: Diagnosing personality disorders in community: comparison of self-report and interview measures, 527 (Je)
Zimmerman R see Mitchell JE

SUBJECT INDEX TO VOLUME 47

The following index is an alphabetical list of significant subjects presented in this volume. The month is given as a two letter notation in parentheses.

A

Abnormalities
Diagnostic utility of lactate sensitivity in panic disorder [Cowley] 277 (Mr)
Metabolic abnormalities in bulimia nervosa [Devlin] 144 (Fe)
Nicotine use as a possible risk factor for subcortical abnormalities (letter) [Epstein] 1172 (De)
Subcortical abnormalities detected in bipolar affective disorder using magnetic resonance imaging: clinical and neuropsychological significance [Dupont] 55 (Ja)
White matter abnormalities on magnetic resonance imaging in bipolar patients (letter) [Harvey] 1172, (reply) [Dupont] 1173 (De)
Acetylation see Chemistry, Organic
Acquired Immunodeficiency Syndrome
Infection with human immunodeficiency virus and vulnerability to psychiatric distress: study of men with hemophilia [Dew] 737 (Au)
ACTH see Adrenocorticotropic Hormone
Actuarial Analysis
Age at onset of selected mental disorders in 5 community populations [Burke] 511 (Je)
Life table methods and assessment of familial risk in Alzheimer's disease (letter) [Breitner] 396 (Ap)
Adaptation, Psychological
Diagnostic interview for narcissistic patients [Gunderson] 676 (Jy)
Adenosine Cyclic Monophosphate
Normalization of blunted lymphocyte beta-adrenergic responsivity in melancholic inpatients by course of electroconvulsive therapy [Mann] 461 (My)
Adenyl Cyclase
Alpha$_2$-adrenoceptor-mediated inhibition of platelet adenylate cyclase and induction of aggregation in major depression: effect of long-term cyclic antidepressant drug treatment [Garcia-Sevilla] 125 (Fe)
Adenylate Cyclase see Adenyl Cyclase
Adolescence
Age at onset of selected mental disorders in 5 community populations [Burke] 511 (Je)
Antecedents of predominantly negative- and predominantly positive- symptom schizophrenia in high-risk population [Cannon] 622 (Jy)
Uncommon troubles in young people: prevalence estimates of selected psychiatric disorders in nonreferred adolescent population [Whitaker] 487 (My)
Adrenal Cortex Hormones
Beta-lipotropin—beta-endorphin response to low-dose ovine corticotropin releasing factor in endogenous depression: preliminary studies [Young] 449 (My)
Prednisone effects on neurochemistry and behavior: preliminary findings [Wolkowitz] 963 (Oc)
Adrenergic Alpha Receptors see Receptors, Adrenergic, Alpha
Adrenergic Beta Receptors see Receptors, Adrenergic, Beta
Adrenergic Receptors see Receptors, Adrenergic
Adrenoceptors see Receptors, Adrenergic
Adrenocorticotropic Hormone
Beta-lipotropin—beta-endorphin response to low-dose ovine corticotropin releasing factor in endogenous depression: preliminary studies [Young] 449 (My)
Hypothalamic-pituitary-adrenal axis functioning and cerebrospinal fluid corticotropin releasing hormone and corticotropin levels in alcoholics after recent and long-term abstinence [Adinoff] 325 (Ap)
Preliminary evidence of serotonin (5-HT-1-like) component to prolactin response to buspirone challenge in humans (letter) [Coccaro] 594 (Je)
Affect
Diagnostic interview for narcissistic patients [Gunderson] 676 (Jy)
Affective Disorders
Adult outcomes of childhood and adolescent depression: I. psychiatric status [Harrington] 465 (My)
Affective syndromes, psychotic features, and prognosis: I. depression, [Coryell] 651; II. mania [Coryell] 658 (Jy)
Altered waveform of plasma nocturnal melatonin secretion in premenstrual depression [Parry] 1139 (De)
Are deficient retinal photoreceptor renewal mechanisms involved in the pathogenesis of winter depression? (letter) [Remé] 878 (Se)
Beta-lipotropin—beta-endorphin response to low-dose ovine corticotropin releasing factor in endogenous depression: preliminary studies [Young] 449 (My)
Corrections and additions to history of light therapy and seasonal affective disorder (letter) [Kern] 90, (reply) [Wehr] 91 (Ja)
Delta sleep ratio: a biological correlate of early recurrence in unipolar affective disorder [Kupfer] 1100 (De)
Development of diagnostic checklists for use in routine clinical care [Hiller] 782; (editorial comment) [Freedman] 784 (Au)
Do winter depressives experience summer nights in winter? (letter) [Beersma] 879 (Se)
Effects of carbamazepine on dopamine- and serotonin-mediated neuroendocrine responses [Elphick] 135 (Fe)
Factors associated with 1-year outcome of major depression in community [Sargeant] 519 (Je)
Familial transmission of simple phobias and fears: preliminary report [Fyer] 252 (Mr)
Hippocampus and parahippocampus in schizophrenic, suicide, and control brains [Altshuler] 1029 (No)
Impact of *DSM-III* on diagnostic practice in university hospital: comparison of *DSM-II* and *DSM-III* in 10 914 patients [Loranger] 672 (Jy)
Longitudinal study of diagnoses in children of women with unipolar and bipolar affective disorder [Hammen] 1112 (De)
Morning vs evening light treatment for winter depression: evidence that therapeutic effects of light are mediated by circadian phase shifts [Sack] 343 (Ap)
Multiple pains and psychiatric disturbance: epidemiologic investigation [Dworkin] 239 (Mr)
Nicotine use as a possible risk factor for subcortical abnor-

malities (letter) [Epstein] 1172 (De)
Outcome in mania: a 4-year prospective follow-up of 75 patients utilizing survival analysis [Tohen] 1106 (De)
Psychiatric morbidity in research volunteers (letter) [Thaker] 980 (Oc)
Rapid cycling bipolar affective disorder: I. association with grade I hypothyroidism [Bauer] 427; II. treatment of refractory rapid cycling with high-dose levothyroxine: preliminary study [Bauer] 435 (My)
Regional cerebral blood flow in mood disorders: I. comparison of major depressives and normal controls at rest [Sackeim] 60 (Ja)
Seasonal independence of low prolactin concentration and high spontaneous eye blink rates in unipolar and bipolar II seasonal affective disorder [Depue] 356 (Ap)
Serotonergic studies in patients with affective and personality disorders: correlates with suicidal and impulsive aggressive behavior [Coccaro] 46:587 (Jy); correction, 47:124 (Fe)
Structural brain abnormalities in bipolar affective disorder: ventricular enlargement and focal signal hyperintensities [Swayze] 1054 (No)
Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance [Fawzy] 720; II. Changes over time in immunological measures [Fawzy] 729 (Au)
Subcortical abnormalities detected in bipolar affective disorder using magnetic resonance imaging: clinical and neuropsychological significance [Dupont] 55 (Ja)
Treatment of recurrent unipolar major depressive disorder: commentary on the Pittsburgh Study [Klerman] 1158 (De)
Unnecessary confusion about opposite findings in 2 studies of tricyclic treatment of bipolar illness (letter) [Wehr] 787, (reply) [Shapiro] 788 (Au)

Affective Psychosis, Bipolar see **Bipolar Disorder**

Affective Symptoms
Multiple pains and psychiatric disturbance: epidemiologic investigation [Dworkin] 239 (Mr)
Outcome in manic disorders: naturalistic-follow-up study [Harrow] 665 (Jy)

Age Factors
Age at onset of selected mental disorders in 5 community populations [Burke] 511 (Je)
Clinical importance of age at onset in type 1 and type 2 primary alcoholics [Irwin] 320 (Ap)
Life table methods and assessment of familial risk in Alzheimer's disease (letter) [Breitner] 395 (Ap)
Positive and negative symptoms in schizophrenia: critical reappraisal [Andreasen] 615 (Jy)
2-year recall of lifetime diagnoses in offspring at high and low risk for major depression: the stability of offspring reports [Fendrich] 1121 (De)
Ventricular enlargement in schizophrenia evaluated with computed tomographic scanning: effects of gender, age, and stage of illness [Andreasen] 1008 (No)

Aged
Memory complaints and impairment in normal, depressed, and demented elderly persons identified in community survey [O'Connor] 224 (Mr)
Preservation of normal cognitive functioning in elderly subjects with extensive white-matter lesion of long duration [Fein] 220 (Mr)
Rapid eye movement sleep deprivation as a probe in elderly subjects [Reynolds] 1128 (De)

Aggression
Television violence (letter) [Gadow] 595, (reply) [Heath] 596 (Je)

Agoraphobia
Risk factors for the onset of diagnostic interview schedule/*DSM-III* agoraphobia in prospective, population-based study [Eaton] 819 (Se)

Agranulocytosis
HLA-B38, DR4, DQw3 and clozapine-induced agranulocytosis in Jewish patients with schizophrenia [Lieberman] 945 (Oc)

Alcohol Amnestic Disorder
Memory improvement in Korsakoff's disease with fluvoxamine (letter) [McEntee] (reply) [Martin] 978 (Oc)

Alcoholism
Alcoholism—North America and Asia: comparison of population surveys with Diagnostic Interview Schedule [Helzer] 313 (Ap)
Analysis of synapsin II, a neuronal phosphoprotein, in postmortem brain tissue from alcoholic and neuropsychiatrically ill adults and medically ill children and young adults [Grebb] 1149 (De)
Clinical importance of age at onset in type 1 and type 2 primary alcoholics [Irwin] 320 (Ap)
Hypothalamic-pituitary-adrenal axis functioning and cerebrospinal fluid corticotropin releasing hormone and corticotropin levels in alcoholics after recent and long-term abstinence [Adinoff] 325 (Ap)
Lifetime risk of suicide in alcoholism [Murphy] 383 (Ap)
Major depressive disorder, alcoholism, and reduced natural killer cell cytotoxicity: role of severity of depressive symptoms and alcohol consumption [Irwin] 713 (Au)
Outcome in mania: a 4-year prospective follow-up of 75 patients utilizing survival analysis [Tohen] 1106 (De)

Alpha Adrenergic Receptors see **Receptors, Adrenergic, Alpha**

Alpha 1-Acid Glycoprotein see **Orosomucoid**

Alprazolam
Treatment of premenstrual dysphoria with alprazolam: controlled study [Harrision] 270 (Mr)

Alzheimer's Disease
Life table methods and assessment of familial risk in Alzheimer's disease (letter) [Breitner] 395 (Ap)
Magnetic resonance imaging and severity of dementia in older adults [Bondareff] 47 (Ja)

American Psychiatric Association
Is *DMS-IV* needed at all? (letter) [Zimmerman] 974 (Oc)

Amino Acids
Altered cerebrospinal fluid neuropeptide Y and peptide YY immunoreactivity in anorexia and bulimia nervosa [Kaye] 548 (Je)
Serotonin function and mechanism of antidepressant action: reversal of antidepressant-induced remission by rapid depletion of plasma tryptophan [Delgado] 411 (My)

Aminobutyric Acids
GABAmimetics: new class of antidepressant agents? (letter) [Thaker] 287 (Mr)

Amitriptyline
Treatment of posttraumatic stress disorder with amitriptyline and placebo [Davidson] 259 (Mr)

Amphetamines
Second thought on 3,4-methylenedioxymethamphetamine (MDMA) neurotoxicity (letter) [Grob] 288, (reply) [Price] 289 (Mr)

Amygdala see **Amygdaloid Body**

Amygdaloid Body
Pronounced reduction of total neuron number in mediodorsal thalamic nucleus and nucleus accumbens in schizophrenics [Pakkenberg] 1023 (No)

Analgesia
Naloxone-reversible analgesic response to combat-related stimuli in posttraumatic stress disorder: pilot study [Pitman] 541 (Je)

Analysis of Variance
ANOVA, MANOVA, my black hen: comments on repeated measures [Lavori] 775 (Au)
Corrections and revised analyses for psychotherapy in methadone maintenance patients (letter) [Woody] 788 (Au)
Infection with human immunodeficiency virus and vulnerability to psychiatric distress: study of men with hemophilia [Dew] 737 (Au)
Rapid eye movement sleep deprivation as a probe in elderly subjects [Reynolds] 1128 (De)
Reduced benzodiazepine sensitivity in panic disorder [Roy-Byrne] 534 (Je)

Anorexia see **Eating Disorders**

Anorexia Nervosa
Altered cerebrospinal fluid neuropeptide Y and peptide YY immunoreactivity in anorexia and bulimia nervosa [Kaye] 548 (Je)
Sleep architecture in eating disorders (letter) [Walsh] 880 (Se)
Uncommon troubles in young people: prevalence estimates of selected psychiatric disorders in nonreferred adolescent population [Whitaker] 487 (My)

Anova see **Analysis of Variance**

Antidepressants, Tricyclic see **Antidepressive Agents, Tricyclic**

Antidepressive Agents
Alpha$_2$-adrenoceptor-mediated inhibition of platelet adenylate cyclase and induction of aggregation in major depression: effect of long-term cyclic antidepressant drug treatment [García-Sevilla] 125 (Fe)
Controlled comparisons of clomipramine and fluoxetine in the treatment of obsessive-compulsive disorder: behavioral and biological results [Pigott] 926 (Oc)
Lithium treatment effect on serotonin function (letter) [Glue] 289, (reply) [Price] 290 (Mr)
Outcome in manic disorders: naturalistic-follow-up study [Harrow] 665 (Jy)
Regional cerebral blood flow in mood disorders: I. comparison of major depressives and normal controls at rest [Sackeim] 60 (Ja)
Serotonin function and mechanism of antidepressant action: reversal of antidepressant-induced remission by rapid depletion of plasma tryptophan [Delgado] 411 (My)
Use of antidepressants in schizophrenia: diagnostic problems (letter) [Osser] 979, (replies) [Kramer, Spitzer] 979, 980 (Oc)

Antidepressive Agents, Tricyclic
Children with major depression show reduced rapid eye movement latencies [Emslie] 119 (Fe)
Comparison study of antidepressants and structured intensive group psychotherapy in treatment of bulimia nervosa [Mitchell] 149 (Fe)
GABAmimetics: new class of antidepressant agents? (letter) [Thaker] 287 (Mr)
Local cerebral glucose metabolic rates in obsessive-compulsive disorder: patients treated with clomipramine [Benkelfat] 840 (Se)
Unnecessary confusion about opposite findings in 2 studies of tricyclic treatment of bipolar illness (letter) [Wehr] 787, (reply) [Shapiro] 788 (Au)

Antipsychotic Agents see **Tranquilizing Agents, Major**

Antiserotonergic Agents see **Serotonin Antagonists**

Antisocial Personality Disorder
Changes in mood, craving, and sleep during short-term abstinence reported by male cocaine addicts: a controlled residential study [Weddington] 861 (Se)
Clinical importance of age at onset in type 1 and type 2 primary alcoholics [Irwin] 320 (Ap)
Diagnosing personality disorders in community: comparison of self-report and interview measures [Zimmerman] 527 (Je)
Psychiatric morbidity in research volunteers (letter) [Thaker] 980 (Oc)

Anxiety Disorders
Age at onset of selected mental disorders in 5 community populations [Burke] 511 (Je)
Comparison study of antidepressants and structured intensive group psychotherapy in treatment of bulimia nervosa [Mitchell] 149 (Fe)
Development of diagnostic checklists for use in routine clinical care [Hiller] 782; (editorial comment) [Freedman] 784 (Au)
Familial transmission of simple phobias and fears: preliminary report [Fyer] 252 (Mr)
Flumazenil provocation of panic attacks: evidence for altered benzodiazepine receptor sensitivity in panic disorder [Nutt] 917 (Oc)
Long-term therapeutic use of benzodiazepine. I. effects of abrupt discontinuation [Rickels] 899; II. effects of gradual taper [Schweizer] 908 (Oc)
Migraine and psychopathology: results of the Zurich cohort study of young adults [Merikangas] 849 (Se)
Outcome of panic disorder: relationship to diagnostic subtypes and comorbidity [Noyes] 809 (Se)
Panic disorder, comorbidity, and suicide attempts [Johnson] 805 (Se)
Psychiatric correlates of behavioral inhibition in young children of parents with and without psychiatric disorders [Biederman] 21 (Ja)
Relationship between anxiety disorders and depressive disorders in patients with cerebrovascular injury [Starkstein] 246 (Mr)
Risk factors for the onset of diagnostic interview schedule/*DSM-III* agoraphobia in prospective, population-based study [Eaton] 819 (Se)
2-year recall of lifetime diagnoses in offspring at high and low risk for major depression: the stability of offspring reports [Fendrich] 1121 (De)

Anxiety Neuroses see **Anxiety Disorders**

Anxiety States, Neurotic see **Anxiety Disorders**

Apoplexy see **Cerebrovascular Disorders**

Appetite Disorders see **Eating Disorders**

Arousal
Relationships between central and autonomic measures of arousal at age 15 years and criminality at age 24 years [Raine] 1003 (No)

Asia
Alcoholism—North America and Asia: comparison of population surveys with Diagnostic Interview Schedule [Helzer] 313 (Ap)

Atrocities see **Violence**

Attention
Increased distractibility in schizophrenic patients: electrophysiologic and behavioral evidence [Grillon] 171 (Fe)
What is left of attention in schizophrenia? (letter) [Coppola] 393, (reply) [Posner] 394 (Ap)

Attitude to Health
Transient hypochondriasis [Barsky] 746 (Au)

Autonomic Nervous System
Relationships between central and autonomic measures of arousal at age 15 years and criminality at age 24 years [Raine] 1003 (No)

Autoradiography
Autoradiographic analysis of alpha$_1$-noradrenergic receptors in the human brain postmortem: effect of suicide [Gross-Isseroff] 1049 (No)
Autoradiographic demonstration of increased serotonin 5-HT$_2$ and beta-adrenergic receptor binding sites in the brain of suicide victims [Arango] 1038 (No)

B

Basal Ganglia
D$_2$ dopamine receptors in neuroleptic-naive schizophrenic patients: positron emission tomography study with ^{76}Br-raclopride [Farde] 213 (Mr)
Limbic structures and lateral ventricle in schizophrenia: a quantitative postmortem study [Heckers] 1016 (No)
Local cerebral glucose metabolic rates in obsessive-compulsive disorder: patients treated with clomipramine [Benkelfat] 840 (Se)

Basal Ganglia Diseases
Fluphenazine dose, clinical response, and extrapyramidal symptoms during acute treatment [Levinson] 761 (Au)

Behavior
Prednisone effects on neurochemistry and behavior: preliminary findings [Wolkowitz] 963 (Oc)

Behavior Therapy
Cerebrospinal fluid monoamine metabolites, aggression, and impulsivity in disruptive behavior disorders of children and adolescents [Kruesi] 419 (My)
Déjà vu in depression research (letter) [Rashkis]; (editorial comment) [Freedman] 688 (Jy)
Nicotine exposure among nondependent smokers [Shiffman] 333 (Ap)
NIMH collaborative research on treatment of depression (letter) [Klein] 682; (replies) [Elkin, Hirschfeld, Klerman] 684-686 (Jy)

Benzodiazepines
Flumazenil provocation of panic attacks: evidence for altered benzodiazepine receptor sensitivity in panic disorder [Nutt] 917 (Oc)
Lithium treatment effect on serotonin function (letter) [Glue] 289, (reply) [Price] 290 (Mr)
Long-term therapeutic use of benzodiazepine: I. effects of abrupt discontinuation [Rickels] 899; II. effects of gradual taper [Schweizer] 908 (Oc)

Benzylamine Oxidase see **Monoamine Oxidase**

Beta Adrenergic Receptors see **Receptors, Adrenergic, Beta**

Beta-Endorphin
Beta-lipotropin—beta-endorphin response to low-dose ovine corticotropin releasing factor in endogenous depression: preliminary studies [Young] 449 (My)

Biogenic Monoamines
Norepinephrine in acute exacerbations of chronic schizophrenia: negative symptoms revisited [van Kammen] 161 (Fe)

Biological Clocks
Do winter depressives experience summer nights in winter? (letter) [Beersma] 879 (Se)

Biological Oscillators see **Biological Clocks**

Bipolar Disorder
Longitudinal study of diagnoses in children of women with unipolar and bipolar affective disorder [Hammen] 1112 (De)

Offspring of twins with schizophrenia (letter) [Torrey] 976, (reply) [Bertelsen] 977 (Oc)
Outcome in manic disorders: naturalistic-follow-up study [Harrow] 665 (Jy)
Rapid cycling bipolar affective disorder: I. association with grade I hypothyroidism [Bauer] 427; II.treatment of refractory rapid cycling with high-dose levothyroxine: preliminary study [Bauer] 435 (My)
Seasonal independence of low prolactin concentration and high spontaneous eye blink rates in unipolar and bipolar II seasonal affective disorder [Depue] 356 (Ap)
Structural brain abnormalities in bipolar affective disorder: ventricular enlargement and focal signal hyperintensities [Swayze] 1054 (No)
Subcortical abnormalities detected in bipolar affective disorder using magnetic resonance imaging: clinical and neuropsychological significance [Dupont] 55 (Ja)
Unnecessary confusion about opposite findings in 2 studies of tricyclic treatment of bipolar illness (letter) [Wehr] 787, (reply) [Shapiro] 788 (Au)
White matter abnormalities on magnetic resonance imaging in bipolar patients (letter) [Harvey] 1172, (reply) [Dupont] 1173 (De)
X-chromosome markers and manic-depressive illness: rejection of linkage to Xq28 in 9 bipolar pedigrees [Berrettini] 366 (Ap)

Blacks
Relationship between anxiety disorders and depressive disorders in patients with cerebrovascular injury [Starkstein] 246 (Mr)

Blinking
Seasonal independence of low prolactin concentration and high spontaneous eye blink rates in unipolar and bipolar II seasonal affective disorder [Depue] 356 (Ap)

Blood Flow Velocity
Regional cerebral blood flow in mood disorders: I. comparison of major depressives and normal controls at rest [Sackeim] 60 (Ja)

Blood Platelets
Alpha$_2$-adrenoceptor-mediated inhibition of platelet adenylate cyclase and induction of aggregation in major depression: effect of long-term cyclic antidepressant drug treatment [García-Sevilla] 125 (Fe)
Controlled comparisons of clomipramine and fluoxetine in the treatment of obsessive-compulsive disorder: behavioral and biological results [Pigott] 926 (Oc)

Blood Pressure
Magnetic resonance imaging and severity of dementia in older adults [Bondareff] 47 (Ja)

Body Image
Altered cerebrospinal fluid neuropeptide Y and peptide YY immunoreactivity in anorexia and bulimia nervosa [Kaye] 548 (Je)

Body Weight
Altered cerebrospinal fluid neuropeptide Y and peptide YY immunoreactivity in anorexia and bulimia nervosa [Kaye] 548 (Je)
Direction of weight change in recurrent depression: consistency across episodes [Stunkard] 857 (Se)

Borderline Personality Disorders
Diagnosing personality disorders in community: comparison of self-report and interview measures [Zimmerman] 527 (Je)

Brain
Analysis of synapsin II, a neuronal phosphoprotein, in postmortem brain tissue from alcoholic and neuropsychiatrically ill adults and medically ill children and young adults [Grebb] 1149 (De)
Autoradiographic analysis of alpha$_1$-noradrenergic receptors in the human brain postmortem: effect of suicide [Gross-Isseroff] 1049 (No)
Autoradiographic demonstration of increased serotonin 5-HT$_2$ and beta-adrenergic receptor binding sites in the brain of suicide victims [Arango] 1038 (No)
Cocaine-induced reduction of glucose utilization in human brain: study using positron emission tomography and [fluorine 18]-fluorodeoxyglucose [London] 567 (Je)
Elevation of dopamine D$_2$ receptors in schizophrenia is underestimated by radioactive raclopride (letter) [Seeman] 1170 (De)
Hippocampus and parahippocampus in schizophrenic, suicide, and control brains [Altshuler] 1029 (No)
Limbic structures and lateral ventricle in schizophrenia: a quantitative postmortem study [Heckers] 1016 (No)
Local cerebral glucose metabolic rates in obsessive-compulsive disorder: patients treated with clomipramine [Benkelfat] 840 (Se)
Magnetic resonance imaging of brain in schizophrenia: pathophysiologic significance of structural abnormalities [Andreasen] 35 (Ja)
Morphine-induced metabolic changes in human brain: studies with positron emission tomography and [fluorine 18] fluorodeoxyglucose [London] 73 (Ja)
Positive and negative symptoms in schizophrenia: critical reappraisal [Andreasen] 615 (Jy)
Subcortical abnormalities detected in bipolar affective disorder using magnetic resonance imaging: clinical and neuropsychological significance [Dupont] 55 (Ja)
White matter abnormalities on magnetic resonance imaging in bipolar patients (letter) [Harvey] 1172, (reply) [Dupont] 1173 (De)

Brain Diseases
Does brain dysfunction increase children's vulnerability to environmental stress? [Breslau] 15 (Ja)
Regional cerebral blood flow in mood disorders: I. comparison of major depressives and normal controls at rest [Sackeim] 60 (Ja)
Structural brain abnormalities in bipolar affective disorder: ventricular enlargement and focal signal hyperintensities [Swayze] 1054 (No)

Brain Stem
Reduced benzodiazepine sensitivity in panic disorder [Roy-Byrne] 534 (Je)

Bulimia
Altered cerebrospinal fluid neuropeptide Y and peptide YY immunoreactivity in anorexia and bulimia nervosa [Kaye] 548 (Je)
Comparison study of antidepressants and structured intensive group psychotherapy in treatment of bulimia nervosa [Mitchell] 149 (Fe)
Metabolic abnormalities in bulimia nervosa [Devlin] 144 (Fe)
Sleep architecture in eating disorders (letter) [Walsh] 880 (Se)
Uncommon troubles in young people: prevalence estimates of selected psychiatric disorders in nonreferred adolescent population [Whitaker] 487 (My)

Buspirone
Preliminary evidence of serotonin (5-HT-1-like) component to prolactin response to buspirone challenge in humans (letter) [Coccaro] 594 (Je)

C

Carbamazepine
Effects of carbamazepine on dopamine- and serotonin-mediated neuroendocrine responses [Elphick] 135 (Fe)
Rapid cycling bipolar affective disorder: I. association with grade I hypothyroidism [Bauer] 427; II.treatment of refractory rapid cycling with high-dose levothyroxine: preliminary study [Bauer] 435 (My)

Carbon Dioxide
Diagnostic utility of lactate sensitivity in panic disorder [Cowley] 277 (Mr)

Cardiovascular Diseases
Preservation of normal cognitive functioning in elderly subjects with extensive white-matter lesion of long duration [Fein] 220 (Mr)

Career Choice
Training and career activity: experience of Yale Advanced Track Program [Sledge] 82 (Ja)

Catecholamines
Fluoxetine and side effects (letter) [Baldessarini] 191 (Fe)

Caudate Nucleus
D$_2$ dopamine receptors in neuroleptic-naive schizophrenic patients: positron emission tomography study with ^{11}Craclopride [Farde] 213 (Mr)
Local cerebral glucose metabolic rates in obsessive-compulsive disorder: patients treated with clomipramine [Benkelfat] 840 (Se)

Central Nervous System
Altered cerebrospinal fluid neuropeptide Y and peptide YY immunoreactivity in anorexia and bulimia nervosa [Kaye] 548 (Je)
Circadian variation of plasma homovanillic acid levels is attenuated by fluphenazine in patients with schizophrenia [Doran] 558 (Je)
Exposure to influenza epidemics during gestation and adult schizophrenia: a 40-year study [Barr] 869 (Se)
Limbic structures and lateral ventricle in schizophrenia: a quantitative postmortem study [Heckers] 1016 (No)
Nicotine use as a possible risk factor for subcortical abnormalities (letter) [Epstein] 1172 (De)
Psychological stress-induced modulation of interleukin 2 receptor gene expression and interleukin 2 production in peripheral blood leukocytes [Glaser] 707 (Au)
Relationships between central and autonomic measures of arousal at age 15 years and criminality at age 24 years [Raine] 1003 (No)

Central Nervous System Diseases
Preservation of normal cognitive functioning in elderly subjects with extensive white-matter lesion of long duration [Fein] 220 (Mr)
Serotonin function and mechanism of antidepressant action: reversal of antidepressant-induced remission by rapid depletion of plasma tryptophan [Delgado] 411 (My)
Signs of central nervous system dysfunction in obsessive-compulsive disorder [Hollander] 27 (Ja)

Cerebellum
Cocaine-induced reduction of glucose utilization in human brain: study using positron emission tomography and [fluorine 18]-fluorodeoxyglucose [London] 567 (Je)

Cerebral Palsy
Does brain dysfunction increase children's vulnerability to environmental stress? [Breslau] 15 (Ja)

Cerebral Ventricles
Limbic structures and lateral ventricle in schizophrenia: a quantitative postmortem study [Heckers] 1016 (No)
Ventricular enlargement in schizophrenia evaluated with computed tomographic scanning: effects of gender, age, and stage of illness [Andreasen] 1008 (No)

Cerebrospinal Fluid
Altered cerebrospinal fluid neuropeptide Y and peptide YY immunoreactivity in anorexia and bulimia nervosa [Kaye] 548 (Je)
Autoradiographic demonstration of increased serotonin 5-HT$_2$ and beta-adrenergic receptor binding sites in the brain of suicide victims [Arango] 1038 (No)
Cerebrospinal fluid and plasma monoamine metabolites and their relation to psychosis: implications for regional brain dysfunction in schizophrenia [Pickar] 641 (Jy)
Cerebrospinal fluid monoamine metabolites, aggression, and impulsivity in disruptive behavior disorders of children and adolescents [Kruesi] 419 (My)
Comment on selection of 'healthy controls' for psychiatric experiments (letter) [Gibbons] 785 (Au)
Hypothalamic-pituitary-adrenal axis functioning and cerebrospinal fluid corticotropin releasing hormone and corticotropin levels in alcoholics after recent and long-term abstinence [Adinoff] 325 (Ap)
Memory improvement in Korsakoff's disease with fluvoxamine (letter) [McEntee] (reply) [Martin] 978 (Oc)
Norepinephrine in acute exacerbations of chronic schizophrenia: negative symptoms revisited [van Kammen] 161 (Fe)
Prednisone effects on neurochemistry and behavior: preliminary findings [Wolkowitz] 963 (Oc)

Cerebrovascular Disorders
Relationship between anxiety disorders and depressive disorders in patients with cerebrovascular injury [Starkstein] 246 (Mr)

Chemistry, Organic
Fluoxetine and side effects (letter) [Baldessarini] 191 (Fe)

Child
Age at onset of selected mental disorders in 5 community populations [Burke] 511 (Je)
Children with major depression show reduced rapid eye movement latencies [Emslie] 119 (Fe)
Longitudinal study of diagnoses in children of women with unipolar and bipolar affective disorder [Hammen] 1172 (De)

Cholecystokinin
Cholecystokinin-4 and panic (letter) [Abelson] 395 (Ap)

Chromosome Mapping
X-chromosome markers and manic-depressive illness: rejection of linkage to Xq28 in 9 bipolar pedigrees [Berrettini] 366 (Ap)

Chromosomes, Human, Pair 16
Close linkage between panic disorder and alpha-haptoglobin excluded in 10 families [Crowe] 377 (Ap)

Circadian Rhythm
Altered waveform of plasma nocturnal melatonin secretion in premenstrual depression [Parry] 1139 (De)
Circadian variation of plasma homovanillic acid levels is attenuated by fluphenazine in patients with schizophrenia [Doran] 558 (Je)
Difference between evening and morning thyrotropin responses to protirelin in major depressive episode [Duval] 443 (My)
Do winter depressives experience summer nights in winter? (letter) [Beersma] 879 (Se)
Morning vs evening light treatment for winter depression: evidence that therapeutic effects of light are mediated by circadian phase shifts [Sack] 343 (Ap)

Classification
Antecedents of predominantly negative- and predominantly positive- symptom schizophrenia in high-risk population [Cannon] 622 (Jy)
Development of diagnostic checklists for use in routine clinical care [Hiller] 782; (editorial comment) [Freedman] 784 (Au)
Development of DSM-IV (letter) [Ellis] 92 (Ja)
Impact of *DSM-III* on diagnostic practice in university hospital: comparison of *DSM-II* and *DSM-III* in 10 914 patients [Loranger] 672 (Jy)
Is *DMS-IV* needed at all? (letter) [Zimmerman] 974 (Oc)
Positive and negative symptoms in schizophrenia: critical reappraisal [Andreasen] 615 (Jy)
SCAN: schedules for clinical assessment in neuropsychiatry [Wing] 589 (Je)
Toward a scientific psychiatric nosology: strengths and limitations [Kendler] 969 (Oc)
Treatment of recurrent unipolar major depressive disorder: commentary on the Pittsburgh Study [Klerman] 1158 (De)
Use of antidepressants in schizophrenia: diagnostic problems (letter) [Oaser] 979, (replies) [Kramer, Spitzer] 979, 980 (Oc)

Clinical Trials
Clozapine and electroconvulsive therapy (letter) [Fink] 290, (reply) [Meltzer] 291 (Mr)
Comment on selection of 'healthy controls' for psychiatric experiments (letter) [Gibbons] 785 (Au)
Evaluation of different approaches to randomized clinical trials: report on the 1987 MacArthur Foundation Network I Methodology Workshop [Kraemer] 1163 (De)
Is clozapine response different in neuroleptic nonresponders vs partial responders? (letter) [Oaser] (reply) [Kane] 189 (Fe)

Clomipramine
Controlled comparisons of clomipramine and fluoxetine in the treatment of obsessive-compulsive disorder: behavioral and biological results [Pigott] 926 (Oc)
Local cerebral glucose metabolic rates in obsessive-compulsive disorder: patients treated with clomipramine [Benkelfat] 840 (Se)

Clozapine see **Dibenzazepines**

Cocaine
Changes in mood, craving, and sleep during short-term abstinence reported by male cocaine addicts: a controlled residential study [Weddington] 861 (Se)
Cocaine-induced reduction of glucose utilization in human brain: study using positron emission tomography and [fluorine 18]-fluorodeoxyglucose [London] 567 (Je)

Cognition
Déjà vu in depression research (letter) [Rashkis]; (editorial comment) [Freedman] 688 (Jy)
NIMH collaborative research on treatment of depression (letter) [Klein] 682; (replies) [Elkin, Hirschfeld,

Klerman] 684-686 (Jy)
Positive and negative symptoms in schizophrenia: critical reappraisal [Andreasen] 615 (Jy)
Preservation of normal cognitive functioning in elderly subjects with extensive white-matter lesion of long duration [Fein] 220 (Mr)
What is left of attention in schizophrenia? (letter) [Coppola] 291 (Mr)
What is left of attention in schizophrenia? (letter) [Coppola] 393, (reply) [Posner] 394 (Ap)
Cognition Disorders
Increased distractibility in schizophrenic patients: electrophysiologic and behavioral evidence [Grillon] 171 (Fe)
Life table methods and assessment of familial risk in Alzheimer's disease (letter) [Breitner] 395 (Ap)
Memory complaints and impairment in normal, depressed, and demented elderly persons identified in community survey [O'Connor] 224 (Mr)
Neuropsychological assessment of monozygotic twins discordant for schizophrenia [Goldberg] 1066 (No)
Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance [Fawzy] 720; II. Changes over time in immunological measures [Fawzy] 729 (Au)
Teaching Wisconsin Card Sorting Test to schizophrenic patients (letter) [Green] 91, (reply) [Goldberg] 92 (Ja)
Color Blindness see Color Vision Defects
Color Vision Defects
X-chromosome markers and manic-depressive illness: rejection of linkage to Xq28 in 9 bipolar pedigrees [Berrettini] 366 (Ap)
Commitment of Mentally Ill
Prospective, multicenter study of patients' refusal of antipsychotic medication [Hoge] 949 (Oc)
Confusion see Cognition Disorders
Consciousness Disorders see Cognition Disorders
Convergence, Ocular see Eye Movements
Convulsive Therapy, Electric see Electroconvulsive Therapy
Corpus Callosum
Structural and functional characteristics of the corpus callosum in schizophrenics, psychiatric controls, and normal controls: a magnetic resonance imaging and neuropsychological evaluation [Raine] 1060 (No)
Corticoids see Adrenal Cortex Hormones
Corticosteroids see Adrenal Cortex Hormones
Corticotropin-Releasing Hormone
Beta-lipotropin—beta-endorphin response to low-dose ovine corticotropin releasing factor in endogenous depression: preliminary studies [Young] 449 (My)
Hypothalamic-pituitary-adrenal axis functioning and cerebrospinal fluid corticotropin releasing hormone and corticotropin levels in alcoholics after recent and long-term abstinence [Adinoff] 325 (Ap)
Cortisol see Hydrocortisone
Costs and Cost Analysis
Evaluation of different approaches to randomized clinical trials: report on the 1987 MacArthur Foundation Network I Methodology Workshop [Kraemer] 1163 (De)
3-year outcomes for maintenance therapies in recurrent depression [Frank] 1093 (De)
Cotinines see Pyrrolidinones
Counseling
Corrections and revised analyses for psychotherapy in methadone maintenance patients (letter) [Woody] 788 (Au)
Criminology
Relationships between central and autonomic measures of arousal at age 15 years and criminality at age 24 years [Raine] 1003 (No)
Cross-Sectional Studies
Lifetime risk of suicide in alcoholism [Murphy] 383 (Ap)
Curriculum
Training and career activity: experience of Yale Advanced Track Program [Sledge] 82 (Ja)
Cytotoxicity, Immunologic
Major depressive disorder, alcoholism, and reduced natural killer cell cytotoxicity: role of severity of depressive symptoms and alcohol consumption [Irwin] 713 (Au)

D

Data Collection
ANOVA, MANOVA, my black hen: comments on repeated measures [Lavori] 775 (Au)
Comment on selection of 'healthy controls' for psychiatric experiments (letter) [Gibbons] 785 (Au)
Controlled comparisons of clomipramine and fluoxetine in the treatment of obsessive-compulsive disorder: behavioral and biological results [Pigott] 926 (Oc)
Decision Making
Antecedents of predominantly negative- and predominantly positive- symptom schizophrenia in high-risk population [Cannon] 622 (Jy)
Toward a scientific psychiatric nosology: strengths and limitations [Kendler] 969 (Oc)
Delivery
Antecedents of predominantly negative- and predominantly positive- symptom schizophrenia in high-risk population [Cannon] 622 (Jy)
Dementia
Magnetic resonance imaging and severity of dementia in older adults [Bondareff] 47 (Ja)
Memory complaints and impairment in normal, depressed, and demented elderly persons identified in community survey [O'Connor] 224 (Mr)
Preservation of normal cognitive functioning in elderly subjects with extensive white-matter lesion of long duration [Fein] 220 (Mr)
Rapid eye movement sleep deprivation as a probe in elderly subjects [Reynolds] 1128 (De)
Dementia Praecox see Schizophrenia
Denmark
Exposure to influenza epidemics during gestation and adult schizophrenia: a 40-year study [Barr] 869 (Se)
Offspring of twins with schizophrenia (letter) [Torrey] 976, (reply) [Bertelsen] 977 (Oc)
Depression, Endogenous see Depressive Disorder
Depressive Disorder
Adult outcomes of childhood and adolescent depression: I. psychiatric status [Harrington] 465 (My)
Affective syndromes, psychotic features, and prognosis: I. depression, [Coryell] 651; II. mania [Coryell] 658 (Jy)
Age at onset of selected mental disorders in 5 community populations [Burke] 511 (Je)
Alpha$_2$-adrenoceptor-mediated inhibition of platelet adenylate cyclase and induction of aggregation in major depression: effect of long-term cyclic antidepressant drug treatment [Garcia-Sevilla] 125 (Fe)
Altered waveform of plasma nocturnal melatonin secretion in premenstrual depression [Parry] 1139 (De)
Are deficient retinal photoreceptor renewal mechanisms involved in the pathogenesis of winter depression? (letter) [Remé] 878 (Se)
Atypical depression, panic attacks, and response to imipramine and pheneizine: a replication [Quitkin] 935 (Oc)
Beta-lipotropin—beta-endorphin response to low-dose ovine corticotropin releasing factor in endogenous depression: preliminary studies [Young] 449 (My)
Changes in mood, craving, and sleep during short-term abstinence reported by male cocaine addicts: a controlled residential study [Weddington] 861 (Se)
Children with major depression show reduced rapid eye movement latencies [Emslie] 119 (Fe)
Déjà vu in depression research (letter) [Rashkis]; (editorial comment) [Freedman] 688 (Jy)
Delta sleep ratio: a biological correlate of early recurrence in unipolar affective disorder [Kupfer] 1100 (De)
Development of diagnostic checklists for use in routine clinical care [Hiller] 782; (editorial comment) [Freedman] 784 (Au)
Difference between evening and morning thyrotropin responses to protirelin in major depressive episode [Duval] 443 (My)
Direction of weight change in recurrent depression: consistency across episodes [Stunkard] 857 (Se)
Do winter depressives experience summer nights in winter? (letter) [Berrama] 879 (Se)
Elevated plasma concentrations of alph$_1$-acid glycoprotein, putative endogenous inhibitor of tritiated imipramine binding site, in depressed patients [Nemeroff] 337 (Ap)
Factors associated with 1-year outcome of major depression in community [Sargeant] 519 (Je)
GABAmimetics: new class of antidepressant agents? (letter) [Thaker] 287 (Mr)
Long-term therapeutic use of benzodiazepine, I. effects of abrupt discontinuation [Rickels] 899; II. effects of gradual taper [Schweizer] 908 (Oc)
Longitudinal study of diagnoses in children of women with unipolar and bipolar affective disorder [Hammen] 1112 (De)
Major depressive disorder, alcoholism, and reduced natural killer cell cytotoxicity: role of severity of depressive symptoms and alcohol consumption [Irwin] 713 (Au)
Memory complaints and impairment in normal, depressed, and demented elderly persons identified in community survey [O'Connor] 224 (Mr)
Migraine and psychopathology: results of the Zurich cohort study of young adults [Merikangas] 849 (Se)
Morning vs evening light treatment for winter depression: evidence that therapeutic effects of light are mediated by circadian phase shifts [Sack] 343 (Ap)
Multiple pains and psychiatric disturbance: epidemiologic investigation [Dworkin] 239 (Mr)
NIMH collaborative research on treatment of depression (letter) [Klein] 682; (replies) [Elkin, Hirschfeld, Klerman] 684-686 (Jy)
Normalization of blunted lymphocyte beta-adrenergic responsivity in melancholic inpatients by course of electroconvulsive therapy [Mann] 461 (My)
Outcome in mania: a 4-year prospective follow-up of 75 patients utilizing survival analysis [Tohen] 1106 (De)
Outcome in manic disorders: naturalistic-follow-up study [Harrow] 665 (Jy)
Outcome of panic disorder: relationship to diagnostic subtypes and comorbidity [Noyes] 809 (Se)
Panic disorder, comorbidity, and suicide attempts [Johnson] 805 (Se)
Rapid eye movement sleep deprivation as a probe in elderly subjects [Reynolds] 1128 (De)
Recurrent depression is associated with persistent reduction in sleep-related growth hormone secretion [Jarrett] 113 (Fe)
Regional cerebral blood flow in mood disorders: I. comparison of major depressives and normal controls at rest [Sackeim] 60 (Ja)
Relationship between anxiety disorders and depressive disorders in patients with cerebrovascular injury [Starkstein] 246 (Mr)
Seasonal independence of low prolactin concentration and high spontaneous eye blink rates in unipolar and bipolar II seasonal affective disorder [Depue] 356 (Ap)
Serotonergic studies in patients with affective and personality disorders: correlates with suicidal and impulsive aggressive behavior [Coccaro] **46**:587 (Jy); correction, **47**:124 (Fe)
Serotonin function and mechanism of antidepressant action: reversal of antidepressant-induced remission by rapid depletion of plasma tryptophan [Delgado] 411 (My)
Sleep architecture in eating disorders (letter) [Walsh] 880 (Se)
Specificity of serotonin reuptake inhibitors in treatment of obsessive-compulsive disorder: comparison of fluvoxamine and desipramine [Goodman] 577 (Je)
Structural brain abnormalities in bipolar affective disorder: ventricular enlargement and focal signal hyperintensities [Swayze] 1054 (No)
Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance [Fawzy] 720; II. Changes over time in immunological measures [Fawzy] 729 (Au)
3-year outcomes for maintenance therapies in recurrent depression [Frank] 1093 (De)
Treatment of recurrent unipolar major depressive disorder: commentary on the Pittsburgh Study [Klerman] 1158 (De)
2-year recall of lifetime diagnoses in offspring at high and low risk for major depression: the stability of offspring reports [Fendrich] 1121 (De)
Uncommon troubles in young people: prevalence estimates of selected psychiatric disorders in nonreferred adolescent population [Whitaker] 487 (My)
Unnecessary confusion about opposite findings in 2 studies of tricyclic treatment of bipolar illness (letter) [Wehr] 787, (reply) [Shapiro] 788 (Au)
Use of antidepressants in schizophrenia: diagnostic problems (letter) [Osser] 979, (replies) [Kramer, Spitzer] 979, 980 (Oc)
Desipramine
Comparison study of antidepressants and structured intensive group psychotherapy in treatment of bulimia nervosa [Mitchell] 149 (Fe)
Specificity of serotonin reuptake inhibitors in treatment of obsessive-compulsive disorder: comparison of fluvoxamine and desipramine [Goodman] 577 (Je)
Desmethylimipramine see Desipramine
Dexamethasone
Elevated plasma concentrations of alph$_1$-acid glycoprotein, putative endogenous inhibitor of tritiated imipramine binding site, in depressed patients [Nemeroff] 337 (Ap)
Diagnosis
Alcoholism—North America and Asia: comparison of population surveys with Diagnostic Interview Schedule [Helzer] 313 (Ap)
Antecedents of predominantly negative- and predominantly positive- symptom schizophrenia in high-risk population [Cannon] 622 (Jy)
Development of diagnostic checklists for use in routine clinical care [Hiller] 782; (editorial comment) [Freedman] 784 (Au)
Development of DSM-IV (letter) [Ellis] 92 (Ja)
Diagnosing personality disorders in community: comparison of self-report and interview measures [Zimmerman] 527 (Je)
Diagnostic interview for narcissistic patients [Gunderson] 676 (Jy)
Diagnostic utility of lactate sensitivity in panic disorder [Cowley] 277 (Mr)
Extreme temperament and diagnosis: study in psychiatric sample of consecutive children [Maziade] 477 (My)
Longitudinal study of diagnoses in children of women with unipolar and bipolar affective disorder [Hammen] 1112 (De)
Multiple pains and psychiatric disturbance: epidemiologic investigation [Dworkin] 239 (Mr)
SCAN: schedules for clinical assessment in neuropsychiatry [Wing] 589 (Je)
Teaching Wisconsin Card Sorting Test to schizophrenic patients (letter) [Green] 91, (reply) [Goldberg] 92 (Ja)
Toward a scientific psychiatric nosology: strengths and limitations [Kendler] 969 (Oc)
2-year recall of lifetime diagnoses in offspring at high and low risk for major depression: the stability of offspring reports [Fendrich] 1121 (De)
Diazepam
Reduced benzodiazepine sensitivity in panic disorder [Roy-Byrne] 534 (Je)
Dibenzazepines
Clozapine and electroconvulsive therapy (letter) [Fink] 290, (reply) [Meltzer] 291 (Mr)
HLA-B38, DR4, DQw3 and clozapine-induced agranulocytosis in Jewish patients with schizophrenia [Lieberman] 945 (Oc)
Is clozapine response different in neuroleptic nonresponders vs partial responders? (letter) [Osser] (reply) [Kane] 1:9 (Fe)
Dibenzepin see Dibenzazepines
DNA
X-chromosome markers and manic-depressive illness: rejection of linkage to Xq28 in 9 bipolar pedigrees [Berrettini] 366 (Ap)
Dopa
Fluoxetine and side effects (letter) [Baldessarini] 191 (Fe)
Dopamine
Effects of carbamazepine on dopamine- and serotonin-mediated neuroendocrine responses [Elphick] 135 (Fe)
Effects of D-1 agonist SKF-38393 combined with haloperidol in schizophrenic patients (letter) [Davidson] 190 (Fe)
Norepinephrine in acute exacerbations of chronic

schizophrenia: negative symptoms revisited [van Kammen] 161 (Fe)
Sensorimotor gating and schizophrenia: human and animal model studies [Braff] 181 (Fe)
Dopamine Receptors see Receptors, Dopamine
Dopaminergic Agents
Circadian variation of plasma homovanillic acid levels is attenuated by fluphenazine in patients with schizophrenia [Doran] 558 (Je)
Cocaine-induced reduction of glucose utilization in human brain: study using positron emission tomography and [fluorine 18]-fluorodeoxyglucose [London] 567 (Je)
Local cerebral glucose metabolic rates in obsessive-compulsive disorder: patients treated with clomipramine [Benkelfat] 840 (Se)
Nicotine use as a possible risk factor for subcortical abnormalities (letter) [Epstein] 1172 (De)
Drug Therapy
Comparison study of antidepressants and structured intensive group psychotherapy in treatment of bulimia nervosa [Mitchell] 149 (Fe)
Déjà vu in depression research (letter) [Rashkis]; (editorial comment) [Freedman] 688 (Jy)
Delta sleep ratio: a biological correlate of early recurrence in unipolar affective disorder [Kupfer] 1100 (De)
Long-term therapeutic use of benzodiazepine, I. effects of abrupt discontinuation [Rickels] 899; II. effects of gradual taper [Schweizer] 908 (Oc)
NIMH collaborative research on treatment of depression (letter) [Klein] 682; (replies) [Elkin, Hirschfeld, Klerman] 684-686 (Jy)
Role of therapeutic alliance in treatment of schizophrenia: relationship to course and outcome [Frank] 228 (Mr)
3-year outcomes for maintenance therapies in recurrent depression [Frank] 1093 (De)
Treatment of recurrent unipolar major depressive disorder: commentary on the Pittsburgh Study [Klerman] 1158 (De)
Drug Therapy, Combination
Unnecessary confusion about opposite findings in 2 studies of tricyclic treatment of bipolar illness (letter) [Wehr] 787, (reply) [Shapiro] 788 (Au)
Drug Withdrawal Symptoms see Substance Withdrawal Syndrome
Dyskinesia, Drug-Induced
GABAmimetics: new class of antidepressant agents? (letter) [Thaker] 287 (Mr)
HLA-B38, DR4, DQw3 and clozapine-induced agranulocytosis in Jewish patients with schizophrenia [Lieberman] 945 (Oc)
Dyskinesia, Tardive see Dyskinesia, Drug-Induced

E

Eating Disorders
Altered cerebrospinal fluid neuropeptide Y and peptide YY immunoreactivity in anorexia and bulimia nervosa [Kaye] 548 (Je)
Comparison study of antidepressants and structured intensive group psychotherapy in treatment of bulimia nervosa [Mitchell] 149 (Fe)
Direction of weight change in recurrent depression: consistency across episodes [Stunkard] 857 (Se)
Metabolic abnormalities in bulimia nervosa [Devlin] 144 (Fe)
Sleep architecture in eating disorders (letter) [Walsh] 880 (Se)
Uncommon troubles in young people: prevalence estimates of selected psychiatric disorders in nonreferred adolescent population [Whitaker] 487 (My)
Economics
Déjà vu in depression research (letter) [Rashkis]; (editorial comment) [Freedman] 688 (Jy)
NIMH collaborative research on treatment of depression (letter) [Klein] 682; (replies) [Elkin, Hirschfeld, Klerman] 684-686 (Jy)
3-year outcomes for maintenance therapies in recurrent depression [Frank] 1093 (De)
ECT (Psychotherapy) see Electroconvulsive Therapy
Education, Medical
Training and career activity: experience of Yale Advanced Track Program [Sledge] 82 (Ja)
Electroconvulsive Therapy
Autoradiographic analysis of alpha$_2$-noradrenergic receptors in the human brain postmortem: effect of suicide [Gross-Isseroff] 1049 (No)
Clozapine and electroconvulsive therapy (letter) [Fink] 296 (reply) [Meltzer] 291 (Mr)
Normalization of blunted lymphocyte beta-adrenergic responsivity in melancholic inpatients by course of electroconvulsive therapy [Mann] 461 (My)
Electroencephalography
Delta sleep ratio: a biological correlate of early recurrence in unipolar affective disorder [Kupfer] 1100 (De)
Rapid eye movement sleep deprivation as a probe in elderly subjects [Reynolds] 1128 (De)
Recurrent depression is associated with persistent reduction in sleep-related growth hormone secretion [Jarrett] 113 (Fe)
Signs of central nervous system dysfunction in obsessive-compulsive disorder [Hollander] 27 (Ja)
Sleep architecture in eating disorders (letter) [Walsh] 880 (Se)
Treatment of recurrent unipolar major depressive disorder: commentary on the Pittsburgh Study [Klerman] 1158 (De)
Electrophysiology
Increased distractibility in schizophrenic patients: electrophysiologic and behavioral evidence [Grillon] 171 (Fe)
Endorphins
Naloxone-reversible analgesic response to combat-related stimuli in posttraumatic stress disorder: pilot study [Pitman] 541 (Je)
Epidemiologic Methods
Age at onset of selected mental disorders in 5 community populations [Burke] 511 (Je)
Epinephrine
Alpha$_2$-adrenoceptor-mediated inhibition of platelet adenylate cyclase and induction of aggregation in major depression: effect of long-term cyclic antidepressant drug treatment [García-Sevilla] 125 (Fe)
Ergolines
Preliminary evidence of serotonin (5-HT-1-like) component to prolactin response to buspirone challenge in humans (letter) [Coccaro] 594 (Je)
Ethics, Medical
More on ethics of drug discontinuation studies in schizophrenia (letter) [Neylan] 192 (Fe)
Euphoria
Cocaine-induced reduction of glucose utilization in human brain: study using positron emission tomography and [fluorine 18]-fluorodeoxyglucose [London] 567 (Je)
Euthyroid Sick Syndromes
Difference between evening and morning thyrotropin responses to protirelin in major depressive episode [Duval] 443 (My)
Excitotoxins see Neurotoxins
Extrapyramidal Disorders see Basal Ganglia Diseases
Extrapyramidal Tracts
Fluoxetine and side effects (letter) [Baldessarini] 191 (Fe)
Eye Movements
Reduced benzodiazepine sensitivity in panic disorder [Roy-Byrne] 534 (Je)

F

Family
Antecedents of predominantly negative- and predominantly positive- symptom schizophrenia in high-risk population [Cannon] 622 (Jy)
Familial transmission of simple phobias and fears: preliminary report [Fyer] 252 (Mr)
Increased morbid risk of schizophrenia-related disorders in relatives of schizotypal personality disordered patients [Siever] 634 (Jy)
Fatigue
Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance [Fawzy] 720; II. Changes over time in immunological measures [Fawzy] 729 (Au)
Fear
Atypical depression, panic attacks, and response to imipramine and phenelzine: a replication [Quitkin] 935 (Oc)
Cholecystokinin-4 and panic (letter) [Abelson] 395 (Ap)
Close linkage between panic disorder and alpha-haptoglobin excluded in 10 families [Crowe] 377 (Ap)
Diagnostic utility of lactate sensitivity in panic disorder [Cowley] 277 (Mr)
Factors associated with 1-year outcome of major depression in community [Sargeant] 519 (Je)
Familial transmission of simple phobias and fears: preliminary report [Fyer] 252 (Mr)
Flumazenil provocation of panic attacks: evidence for altered benzodiazepine receptor sensitivity in panic disorder [Nutt] 917 (Oc)
Long-term therapeutic use of benzodiazepine, I. effects of abrupt discontinuation [Rickels] 899; II. effects of gradual taper [Schweizer] 908 (Oc)
Psychiatric correlates of behavioral inhibition in young children of parents with and without psychiatric disorders [Biederman] 21 (Ja)
Reduced benzodiazepine sensitivity in panic disorder [Roy-Byrne] 534 (Je)
Risk factors for the onset of diagnostic interview schedule/*DSM-III* agoraphobia in prospective, population-based study [Eaton] 819 (Se)
Uncommon troubles in young people: prevalence estimates of selected psychiatric disorders in nonreferred adolescent population [Whitaker] 487 (My)
Fenelzine see Phenelzine
Fenfluramine
Second thought on 3,4-methylenedioxymethamphetamine (MDMA) neurotoxicity (letter) [Grob] 286, (reply) [Price] 289 (Mr)
Serotonergic studies in patients with affective and personality disorders: correlates with suicidal and impulsive aggressive behavior [Coccaro] **46**:587 (Jy); correction, **47**:124 (Fe)
Finland
Influenza and schizophrenia: Helsinki vs Edinburgh (letters) [Mednick, Bowler] 875, 876 (reply) [Kendell] 877 (Se)
Update on Helsinki influenza project (letter) [Mednick] 292 (Mr)
Flumazenil
Flumazenil provocation of panic attacks: evidence for altered benzodiazepine receptor sensitivity in panic disorder [Nutt] 917 (Oc)
Fluorine
Cocaine-induced reduction of glucose utilization in human brain: study using positron emission tomography and [fluorine 18]-fluorodeoxyglucose [London] 567 (Je)
Morphine-induced metabolic changes in human brain: studies with positron emission tomography and [fluorine 18] fluorodeoxyglucose [London] 73 (Ja)
Fluoxetine
Controlled comparisons of clomipramine and fluoxetine in the treatment of obsessive-compulsive disorder: behavioral and biological results [Pigott] 926 (Oc)
Fluoxetine and side effects (letter) [Baldessarini] 191 (Fe)
Fluphenazine
Circadian variation of plasma homovanillic acid levels is attenuated by fluphenazine in patients with schizophrenia [Doran] 558 (Je)
Fluphenazine dose, clinical response, and extrapyramidal symptoms during acute treatment [Levinson] 761 (Au)
Surreptitious noncompliance with oral fluphenazine in voluntary inpatient population (letter) [Van Putten] 786 (Au)
Fluvoxamine
Memory improvement in Korsakoff's disease with fluvoxamine (letter) [McEntee] (reply) [Martin] 978 (Oc)
Specificity of serotonin reuptake inhibitors in treatment of obsessive-compulsive disorder: comparison of fluvoxamine and desipramine [Goodman] 577 (Je)
Follow-Up Studies
Adult outcomes of childhood and adolescent depression: I. psychiatric status [Harrington] 465 (My)
Affective syndromes, psychotic features, and prognosis: I. depression, [Coryell] 651; II. mania [Coryell] 658 (Jy)
Lifetime risk of suicide in alcoholism [Murphy] 383 (Ap)
Outcome in manic disorders: naturalistic-follow-up study [Harrow] 665 (Jy)
Outcome of panic disorder: relationship to diagnostic subtypes and comorbidity [Noyes] 809 (Se)
Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance [Fawzy] 720; II. Changes over time in immunological measures [Fawzy] 729 (Au)
Forecasting
Autoradiographic demonstration of increased serotonin 5-HT$_2$ and beta-adrenergic receptor binding sites in the brain of suicide victims [Arango] 1038 (No)

G

GABA
GABAmimetics: new class of antidepressant agents? (letter) [Thaker] 287 (Mr)
Reduced benzodiazepine sensitivity in panic disorder [Roy-Byrne] 534 (Je)
GABA Receptors see Receptors, GABA-Benzodiazepine
Gastrins
Cholecystokinin-4 and panic (letter) [Abelson] 395 (Ap)
Gene Mapping see Chromosome Mapping
General Practitioners see Physicians, Family
Genetics, Biochemical
Increased morbid risk of schizophrenia-related disorders in relatives of schizotypal personality disordered patients [Siever] 634 (Jy)
Genetics, Medical
Alcoholism—North America and Asia: comparison of population surveys with Diagnostic Interview Schedule [Helzer] 313 (Ap)
Analysis of synapsin II, a neuronal phosphoprotein, in postmortem brain tissue from alcoholic and neuropsychiatrically ill adults and medically ill children and young adults [Grebb] 1149 (De)
Antecedents of predominantly negative- and predominantly positive- symptom schizophrenia in high-risk population [Cannon] 622 (Jy)
Close linkage between panic disorder and alpha-haptoglobin excluded in 10 families [Crowe] 377 (Ap)
Diagnostic utility of lactate sensitivity in panic disorder [Cowley] 277 (Mr)
Gilles de la Tourette syndrome is not linked to D_2-dopamine receptor [Geiertner] 1073 (No)
Increased morbid risk of schizophrenia-related disorders in relatives of schizotypal personality disordered patients [Siever] 634 (Jy)
Life table methods and assessment of familial risk in Alzheimer's disease (letter) [Breitner] 395 (Ap)
Neuropsychological assessment of monozygotic twins discordant for schizophrenia [Goldberg] 1066 (No)
Offspring of twins with schizophrenia (letter) [Torrey] 976, (reply) [Bertelsen] 977 (Oc)
Psychological stress-induced modulation of interleukin 2 receptor gene expression and interleukin 2 production in peripheral blood leukocytes [Glaser] 707 (Au)
Relationships between central and autonomic measures of arousal at age 15 years and criminality at age 24 years [Raine] 1003 (No)
Standardized assessment of personality disorders in obsessive-compulsive disorder [Baer] 826 (Se)
Genetics, Molecular see Genetics, Biochemical
Genotype
Offspring of twins with schizophrenia (letter) [Torrey] 976, (reply) [Bertelsen] 977 (Oc)
Gilles de la Tourette's Disease see Tourette Syndrome
Globin
Close linkage between panic disorder and alpha-haptoglobin excluded in 10 families [Crowe] 377 (Ap)
Glucose
Cocaine-induced reduction of glucose utilization in human brain: study using positron emission tomography and [fluorine 18]-fluorodeoxyglucose [London] 567 (Je)
Local cerebral glucose metabolic rates in obsessive-compulsive disorder: patients treated with clomipramine [Benkelfat] 840 (Se)
Metabolic abnormalities in bulimia nervosa [Devlin] 144 (Fe)
Morphine-induced metabolic changes in human brain: studies with positron emission tomography and [fluorine 18] fluorodeoxyglucose [London] 73 (Ja)
Glucose-6-Phosphate Dehydrogenase see Glucosephosphate Dehydrogenase
Glucosephosphate Dehydrogenase
X-chromosome markers and manic-depresive illness: rejection of linkage to Xq28 in 9 bipolar pedigrees [Berrettini] 366 (Ap)
Glycols
Comment on selection of 'healthy controls' for psychiatric experiments (letter) [Gibbons] 785 (Au)
Norepinephrine in acute exacerbations of chronic schizophrenia: negative symptoms revisited [van Kammen] 161 (Fe)

H

Hallervorden-Spatz Syndrome see Basal Ganglia Diseases

Haloperidol
Controlled dose comparison of haloperidol in newly admitted schizophrenic patients [Van Putten] 754 (Au)
Effects of D-1 agonist SKF-38393 combined with haloperidol in schizophrenic patients (letter) [Davidson] 190 (Fe)
Fluphenazine dose, clinical response, and extrapyramidal symptoms during acute treatment [Levinson] 761 (Au)
Is clozapine response different in neuroleptic nonresponders vs partial responders? (letter) [Osser] (reply) [Kane] 189 (Fe)

Head Injuries
Signs of central nervous system dysfunction in obsessive-compulsive disorder [Hollander] 27 (Ja)

Headache
Migraine and psychopathology: results of the Zurich cohort study of young adults [Merikangas] 849 (Se)

Health Care see Outcome and Process Assessment (Health Care)

Helper Cells
Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance [Fawzy] 720; II. Changes over time in immunological measures [Fawzy] 729 (Au)

Hemophilia
Infection with human immunodeficiency virus and vulnerability to psychiatric distress: study of men with hemophilia [Dew] 737 (Au)

Hippocampus
Hippocampus and parahippocampus in schizophrenic, suicide, and control brains [Altshuler] 1029 (No)

HIV Infections
Infection with human immunodeficiency virus and vulnerability to psychiatric distress: study of men with hemophilia [Dew] 737 (Au)

HLA Antigens
HLA-B38, DR4, DQw3 and clozapine-induced agranulocytosis in Jewish patients with schizophrenia [Lieberman] 945 (Oc)

Homovanillic Acid
Cerebrospinal fluid and plasma monoamine metabolites and their relation to psychosis: implications for regional brain dysfunction in schizophrenia [Pickar] 641 (Jy)
Circadian variation of plasma homovanillic acid levels in attenuated by fluphenazine in patients with schizophrenia [Doran] 558 (Je)
Comment on selection of 'healthy controls' for psychiatric experiments (letter) [Gibbons] 785 (Au)
Effects of D-1 agonist SKF-38393 combined with haloperidol in schizophrenic patients (letter) [Davidson] 190 (Fe)

Hospitals, Psychiatric
Impact of *DSM-III* on diagnostic practice in university hospital: comparison of *DSM-II* and *DSM-III* in 10 914 patients [Loranger] 672 (Jy)

Hospitals, Teaching
Impact of *DSM-III* on diagnostic practice in university hospital: comparison of *DSM-II* and *DSM-III* in 10 914 patients [Loranger] 672 (Jy)

5-HT see Serotonin

Huntington Chorea
Analysis of synapsin II, a neuronal phosphoprotein, in postmortem brain tissue from alcoholic and neuropsychiatrically ill adults and medically ill children and young adults [Grebb] 1149 (De)

Hydrocortisone
Beta-lipotropin—beta-endorphin response to low-dose ovine corticotropin releasing factor in endogenous depression: preliminary studies [Young] 449 (My)
Difference between evening and morning thyrotropin responses to protirelin in major depressive episode [Duval] 443 (My)
Elevated plasma concentrations of alph$_1$-acid glycoprotein, putative endogenous inhibitor of tritiated imipramine binding site, in depressed patients [Nemeroff] 337 (Ap)
Hypothalamic-pituitary-adrenal axis functioning and cerebrospinal fluid corticotropin releasing hormone and corticoptropin levels in alcoholics after recent and long-term abstinence [Adinoff] 325 (Ap)
Prednisone effects on neurochemistry and behavior: preliminary findings [Wolkowitz] 963 (Oc)
Prolactin and cortisol responses to MK-212, a serotonin agonist, in obsessive-compulsive disorder [Bastani] 833 (Se)

Hydroxyindoleacetic Acid
Autoradiographic demonstration of increased serotonin 5-HT$_2$ and beta-adrenergic receptor binding sites in the brain of suicide victims [Arango] 1038 (No)
Cerebrospinal fluid and plasma monoamine metabolites and their relation to psychosis: implications for regional brain dysfunction in schizophrenia [Pickar] 641 (Jy)
Cerebrospinal fluid monoamine metabolites, aggression, and impulsivity in disruptive behavior disorders of children and adolescents [Kruesi] 419 (My)
Comment on selection of 'healthy controls' for psychiatric experiments (letter) [Gibbons] 785 (Au)
Prednisone effects on neurochemistry and behavior: preliminary findings [Wolkowitz] 963 (Oc)

Hydroxytryptamine see Serotonin

Hypercapnia
Morphine-induced metabolic changes in human brain: studies with positron emission tomography and [fluorine 18] fluorodeoxyglucose [London] 73 (Ja)

Hypochondriasis
Transient hypochondriasis [Barsky] 746 (Au)

Hypothalamo-Hypophyseal System
Beta-lipotropin—beta-endorphin response to low-dose ovine corticotropin releasing factor in endogenous depression: preliminary studies [Young] 449 (My)
Hypothalamic-pituitary-adrenal axis functioning and cerebrospinal fluid corticotropin releasing hormone and corticoptropin levels in alcoholics after recent and long-term abstinence [Adinoff] 325 (Ap)

Hypothyroidism
Rapid cycling bipolar affective disorder: I. association with grade I hypothyroidism [Bauer] 427; II.treatment of refractory rapid cycling with high-dose levothyroxine: preliminary study [Bauer] 435 (My)

I

Imipramine
Atypical depression, panic attacks, and response to imipramine and phenelzine: a replication [Quitkin] 935 (Oc)
Comparison study of antidepressants and structured intensive group psychotherapy in treatment of bulimia nervosa [Mitchell] 149 (Fe)
Déjà vu in depression research (letter) [Rashkis]; (editorial comment) [Freedman] 688 (Jy)
Elevated plasma concentrations of alph$_1$-acid glycoprotein, putative endogenous inhibitor of tritiated imipramine bindir g site, in depressed patients [Nemeroff] 337 (Ap)
NIMH collaborative research on treatment of depression (letter) [Klein] 682; (replies) [Elkin, Hirschfeld, Klerman] 684-686 (Jy)
Recurrent depression is associated with persistent reduction in sleep-related growth hormone secretion [Jarrett] 113 (Fe)
Treatment of recurrent unipolar major depressive disorder: commentary on the Pittsburgh Study [Klerman] 1158 (De)
Unnecessary confusion about opposite findings in 2 studies of tricyclic treatment of bipolar illness (letter) [Wehr] 787, (reply) [Shapiro] 788 (Au)

Impulse-Ridden Personality see Personality Disorders

Impulsive Behavior
Serotonergic studies in patients with affective and personality disorders: correlates with suicidal and impulsive aggressive behavior [Coccaro] **48**:587 (Jy); correction, **47**:124 (Fe)

Inadequate Personality see Personality Disorders

Incipient Schizophrenia see Schizotypal Personality Disorder

Influenza
Exposure to influenza epidemics during gestation and adult schizophrenia: a 40-year study [Barr] 569 (Se)
Influenza and schizophrenia: Helsinki vs Edinburgh (letters) [Mednick, Bowler] 875, 876 (reply) [Kendell] 877 (Se)
Update on Helsinki influenza project (letter) [Mednick] 292 (Mr)

Information Processing, Human see Mental Processes

Inpatients see Patients

Interleukin-2
Psychological stress-induced modulation of interleukin 2 receptor gene expression and interleukin 2 production in peripheral blood leukocytes [Glaser] 707 (Au)

Internship and Residency
Training and career activity: experience of Yale Advanced Track Program [Sledge] 82 (Ja)

Interpersonal Relations
Diagnostic interview for narcissistic patients [Gunderson] 676 (Jy)

Interviews
Alcoholism—North America and Asia: comparison of population surveys with Diagnostic Interview Schedule [Helzer] 313 (Ap)

Isoproterenol
Normalization of blunted lymphocyte beta-adrenergic responsivity in melancholic inpatients by course of electroconvulsive therapy [Mann] 461 (My)

J

Jews
HLA-B38, DR4, DQw3 and clozapine-induced agranulocytosis in Jewish patients with schizophrenia [Lieberman] 945 (Oc)

Jurisprudence
Prospective, multicenter study of patients' refusal of antipsychotic medication [Hoge] 949 (Oc)

Juvenile Delinquency
Television violence (letter) [Gadow] 595, (reply) [Heath] 596 (Je)

K

Killer Cells
Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance [Fawzy] 720; II. Changes over time in immunological measures [Fawzy] 729 (Au)

Killer Cells, Natural
Major depressive disorder, alcoholism, and reduced natural killer cell cytotoxicity: role of severity of depressive symptoms and alcohol consumption [Irwin] 713 (Au)

Korsakoff Psychosis see Alcohol Amnestic Disorder

Korsakoff Syndrome see Alcohol Amnestic Disorder

L

Lactates
Diagnostic utility of lactate sensitivity in panic disorder [Cowley] 277 (Mr)

Latent Schizophrenia see Schizotypal Personality Disorder

Laterality
How old is lesion presenting as schizophrenia? relevance to laterality question (letter) [Bracha] 393 (Ap)

Length of Stay
Prospective, multicenter study of patients' refusal of antipsychotic medication [Hoge] 949 (Oc)

Lergotrile Mesylate see Ergolines

Leukocytes
Psychological stress-induced modulation of interleukin 2 receptor gene expression and interleukin 2 production in peripheral blood leukocytes [Glaser] 707 (Au)

Levothyroxine see Thyroxine

Life Style
Nicotine exposure among nondependent smokers [Shiffman] 333 (Ap)

Ligands
Flumazenil provocation of panic attacks: evidence for altered benzodiazepine receptor sensitivity in panic disorder [Nutt] 917 (Oc)

Limbic System
Hippocampus and parahippocampus in schizophrenic, suicide, and control brains [Altshuler] 1029 (No)
Limbic structures and lateral ventricle in schizophrenia: a quantitative postmortem study [Heckers] 1016 (No)

Linkage (Genetics)
Close linkage between panic disorder and alpha-haptoglobin excluded in 10 families [Crowe] 377 (Ap)
X-chromosome markers and manic-depressive illness: rejection of linkage to Xq28 in 9 bipolar pedigrees [Berrettini] 366 (Ap)

Lipotropin
Beta-lipotropin—beta-endorphin response to low-dose ovine corticotropin releasing factor in endogenous depression: preliminary studies [Young] 449 (My)

Lithium
Lithium treatment effect on serotonin function (letter) [Glue] 282, (reply) [Price] 290 (Mr)
Outcome in manic disorders: naturalistic-follow-up study [Harrow] 665 (Jy)
Rapid cycling bipolar affective disorder: I. association with grade I hypothyroidism [Bauer] 427; II.treatment of refractory rapid cycling with high-dose levothyroxine: preliminary study [Bauer] 435 (My)
3-year outcomes for maintenance therapies in recurrent depression [Frank] 1093 (De)
Unnecessary confusion about opposite findings in 2 studies of tricyclic treatment of bipolar illness (letter) [Wehr] 787, (reply) [Shapiro] 788 (Au)

Lofepramine see Dibenzazepines

Longitudinal Studies
Adult outcomes of childhood and adolescent depression: I. psychiatric status [Harrington] 465 (My)
Extreme temperament and diagnosis: study in psychiatric sample of consecutive children [Maziade] 477 (My)
Longitudinal study of diagnoses in children of women with unipolar and bipolar affective disorder [Hammen] 1112 (De)
Migraine and psychopathology: results of the Zurich cohort study of young adults [Merikangas] 849 (Se)
Outcome in mania: a 4-year prospective follow-up of 75 patients utilizing survival analysis [Tohen] 1106 (De)
Psychiatric correlates of behavioral inhibition in young children of parents with and without psychiatric disorders [Biederman] 21 (Ja)

Lymphocytes
Normalization of blunted lymphocyte beta-adrenergic responsivity in melancholic inpatients by course of electroconvulsive therapy [Mann] 461 (My)
Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance [Fawzy] 720; II. Changes over time in immunological measures [Fawzy] 729 (Au)

M

Magnetic Resonance Imaging
Hippocampus and parahippocampus in schizophrenic, suicide, and control brains [Altshuler] 1029 (No)
Magnetic resonance imaging and severity of dementia in older adults [Bondareff] 47 (Ja)
Magnetic resonance imaging of brain in schizophrenia: pathophysiologic significance of structural abnormalities [Andreasen] 35 (Ja)
Preservation of normal cognitive functioning in elderly subjects with extensive white-matter lesion of long duration [Fein] 220 (Mr)
Structural and functional characteristics of the corpus callosum in schizophrenics, psychiatric controls, and normal controls: a magnetic resonance imaging and neuropsychological evaluation [Raine] 1060 (No)
Subcortical abnormalities detected in bipolar affective disorder using magnetic resonance imaging: clinical and neuropsychological significance [Dupont] 55 (Ja)
White matter abnormalities on magnetic resonance imaging in bipolar patients (letter) [Harvey] 1172, (reply) [Dupont] 1173 (De)

Mania see Manic Disorder

Manic Disorder
Affective syndromes, psychotic features, and prognosis: I. depression, [Coryell] 651; II. mania [Coryell] 658 (Jy)
Outcome in mania: a 4-year prospective follow-up of 75 patients utilizing survival analysis [Tohen] 1106 (De)
Outcome in manic disorders: naturalistic-follow-up study [Harrow] 665 (Jy)

Mass Media
Television violence (letter) [Gadow] 595, (reply) [Heath] 596 (Je)

Meige Syndrome see Basal Ganglia Diseases

Melancholia see Depressive Disorder

Melanoma
Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance [Fawzy] 720; II. Changes over time in immunological measures [Fawzy] 729 (Au)

Melatonin
Altered waveform of plasma nocturnal melatonin secretion in premenstrual depression [Parry] 1139 (De)
Corrections and additions to history of light therapy and seasonal affective disorder (letter) [Kern] 90, (reply) [Wehr] 91 (Ja)
Morning vs evening light treatment for winter depression: evidence that therapeutic effects of light are mediated by circadian phase shifts [Sack] 343 (Ap)

Memory Disorders

Memory complaints and impairment in normal, depressed, and demented elderly persons identified in community survey [O'Connor] 224 (Mr)
Memory improvement in Korsakoff's disease with fluvoxamine (letter) [McEntee] (reply) [Martin] 978 (Oc)
Men
Changes in mood, craving, and sleep during short-term abstinence reported by male cocaine addicts: a controlled residential study [Weddington] 861 (Se)
Mental Disorders
Age at onset of selected mental disorders in 5 community populations [Burke] 511 (Je)
Development of diagnostic checklists for use in routine clinical care [Hiller] 782; (editorial comment) [Freedman] 784 (Au)
Extreme temperament and diagnosis: study in psychiatric sample of consecutive children [Maziade] 477 (My)
Impact of *DSM-III* on diagnostic practice in university hospital: comparison of *DSM-II* and *DSM-III* in 10 914 patients [Loranger] 672 (Jy)
Infection with human immunodeficiency virus and vulnerability to psychiatric distress: study of men with hemophilia [Dew] 737 (Au)
Is *DMS-IV* needed at all? (letter) [Zimmerman] 974 (Oc)
Uncommon troubles in young people: prevalence estimates of selected psychiatric disorders in nonreferred adolescent population [Whitaker] 487 (My)
Ventricular enlargement in schizophrenia evaluated with computed tomographic scanning: effects of gender, age, and stage of illness [Andreasen] 1008 (No)
Mental Processes
Increased distractibility in schizophrenic patients: electrophysiologic and behavioral evidence [Grillon] 171 (Fe)
Metabolic Diseases
Metabolic abnormalities in bulimia nervosa [Devlin] 144 (Fe)
Metabolism
Cocaine-induced reduction of glucose utilization in human brain: study using positron emission tomography and [fluorine 18]-fluorodeoxyglucose [London] 567 (Je)
Local cerebral glucose metabolic rates in obsessive-compulsive disorder: patients treated with clomipramine [Benkelfat] 840 (Se)
Methadone
Corrections and revised analyses for psychotherapy in methadone maintenance patients (letter) [Woody] 788 (Au)
Methoxyhydroxyphenylglycol see Glycols
Migraine
Migraine and psychopathology: results of the Zurich cohort study of young adults [Merikangas] 849 (Se)
Models, Biological
Sensorimotor gating and schizophrenia: human and animal model studies [Braff] 181 (Fe)
Molecular Genetics see Genetics, Biochemical
Molecular Weight
Analysis of synapsin II, a neuronal phosphoprotein, in postmortem brain tissue from alcoholic and neuropsychiatrically ill adults and medically ill children and young adults [Grebb] 1149 (De)
Monoamine Oxidase
Cerebrospinal fluid and plasma monoamine metabolites and their relation to psychosis: implications for regional brain dysfunction in schizophrenia [Pickar] 641 (Jy)
Cerebrospinal fluid monoamine metabolites, aggression, and impulsivity in disruptive behavior disorders of children and adolescents [Kruesi] 419 (My)
Sensorimotor gating and schizophrenia: human and animal model studies [Braff] 181 (Fe)
Monoamine Oxidase Inhibitors
Atypical depression, panic attacks, and response to imipramine and phenelzine: a replication [Quitkin] 935 (Oc)
GABAmimetics: new class of antidepressant agents? (letter) [Thaker] 287 (Mr)
Monoamines, Biogenic see Biogenic Monoamines
Mood Disorders, Non-Psychotic see Affective Disorders
Morphine
Morphine-induced metabolic changes in human brain: studies with positron emission tomography and [fluorine 18] fluorodeoxyglucose [London] 73 (Ja)
Multivariate Analysis
Statistical analysis of repeated measures in psychiatric research [Ekstrom] 770 (Au)

N

Naloxone
Naloxone-reversible analgesic response to combat-related stimuli in posttraumatic stress disorder: pilot study [Pitman] 541 (Je)
Narcissism
Diagnostic interview for narcissistic patients [Gunderson] 676 (Jy)
Neoplasm Metastasis
Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance [Fawzy] 720; II. Changes over time in immunological measures [Fawzy] 729 (Au)
Neoplasms
Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance [Fawzy] 720; II. Changes over time in immunological measures [Fawzy] 729 (Au)
Neuroanatomy
How old is lesion presenting as schizophrenia? relevance to laterality question (letter) [Bracha] 393 (Ap)
Limbic structures and lateral ventricle in schizophrenia: a quantitative postmortem study [Heckers] 1016 (No)
Neurobiology
Positive and negative symptoms in schizophrenia: critical reappraisal [Andreasen] 615 (Jy)
Neurochemistry
Prednisone effects on neurochemistry and behavior: preliminary findings [Wolkowitz] 963 (Oc)
Neuroleptics see Tranquilizing Agents, Major
Neurology
SCAN: schedules for clinical assessment in neuropsychiatry [Wing] 589 (Je)
Neuromodulators see Neuroregulators
Neurons
Pronounced reduction of total neuron number in mediodorsal thalamic nucleus and nucleus accumbens in schizophrenics [Pakkenberg] 1023 (No)
Neuropeptides
Altered cerebrospinal fluid neuropeptide Y and peptide YY immunoreactivity in anorexia and bulimia nervosa [Kaye] 548 (Je)
Cholecystokinin-4 and panic (letter) [Abelson] 395 (Ap)
Neurophysiology
Increased distractibility in schizophrenic patients: electrophysiologic and behavioral evidence [Grillon] 171 (Fe)
Neuropsychological Tests
How old is lesion presenting as schizophrenia? relevance to laterality question (letter) [Bracha] 393 (Ap)
Neuropsychological assessment of monozygotic twins discordant for schizophrenia [Goldberg] 1066 (No)
Structural and functional characteristics of the corpus callosum in schizophrenics, psychiatric controls, and normal controls: a magnetic resonance imaging and neuropsychological evaluation [Raine] 1060 (No)
Subcortical abnormalities detected in bipolar affective disorder using magnetic resonance imaging: clinical and neuropsychological significance [Dupont] 55 (Ja)
White matter abnormalities on magnetic resonance imaging in bipolar patients (letter) [Harvey] 1172, (reply) [Dupont] 1173 (De)
Neuroregulators
Analysis of synapsin II, a neuronal phosphoprotein, in postmortem brain tissue from alcoholic and neuropsychiatrically ill adults and medically ill children and young adults [Grebb] 1149 (De)
Cholecystokinin-4 and panic (letter) [Abelson] 395 (Ap)
Regional cerebral blood flow in mood disorders: I. comparison of major depressives and normal controls at rest [Sackeim] 60 (Ja)
Neurosecretory Systems
Effects of carbamazepine on dopamine- and serotonin-mediated neuroendocrine responses [Elphick] 135 (Fe)
Neurosis, Post Traumatic see Stress Disorders, Post Traumatic
Neurosis, Obsessive-Compulsive see Obsessive-Compulsive Disorder
Neurotoxins
Second thought on 3,4-methylenedioxymethamphetamine (MDMA) neurotoxicity (letter) [Grob] 288, (reply) [Price] 289 (Mr)
Sensorimotor gating and schizophrenia: human and animal model studies [Braff] 181 (Fe)
Nicotine
Nicotine exposure among nondependent smokers [Shiffman] 333 (Ap)
Nicotine use as a possible risk factor for subcortical abnormalities (letter) [Epstein] 1172 (De)
Nootropic Drugs see Psychotropic Drugs
Noradrenaline see Norepinephrine
Norepinephrine
Autoradiographic analysis of alpha$_2$-noradrenergic receptors in the human brain postmortem: effect of suicide [Ordway-Iseroff] 1049 (No)
Cerebrospinal fluid and plasma monoamine metabolites and their relation to psychosis: implications for regional brain dysfunction in schizophrenia [Pickar] 641 (Jy)
Increased distractibility in schizophrenic patients: electrophysiologic and behavioral evidence [Grillon] 171 (Fe)
Norepinephrine in acute exacerbations of chronic schizophrenia: negative symptoms revisited [van Kammen] 161 (Fe)
Specificity of serotonin reuptake inhibitors in treatment of obsessive-compulsive disorder: comparison of fluvoxamine and desipramine [Goodman] 577 (Je)
North America
Alcoholism—North America and Asia: comparison of population surveys with Diagnostic Interview Schedule [Helzer] 313 (Ap)
Nucleus Accumbens see Septal Nuclei

O

Obesity
Comparison study of antidepressants and structured intensive group psychotherapy in treatment of bulimia nervosa [Mitchell] 149 (Fe)
Metabolic abnormalities in bulimia nervosa [Devlin] 144 (Fe)
Obsessive-Compulsive Disorder
Controlled comparisons of clomipramine and fluoxetine in the treatment of obsessive-compulsive disorder: behavioral and biological results [Pigott] 926 (Oc)
Factors associated with 1-year outcome of major depression in community [Sargeant] 519 (Je)
Local cerebral glucose metabolic rates in obsessive-compulsive disorder: patients treated with clomipramine [Benkelfat] 840 (Se)
Prolactin and cortisol responses to MK-212, a serotonin agonist, in obsessive-compulsive disorder [Bastani] 833 (Se)
Signs of central nervous system dysfunction in obsessive-compulsive disorder [Hollander] 27 (Ja)
Specificity of serotonin reuptake inhibitors in treatment of obsessive-compulsive disorder: comparison of fluvoxamine and desipramine [Goodman] 577 (Je)
Standardized assessment of personality disorders in obsessive-compulsive disorder [Baer] 826 (Se)
Uncommon troubles in young people: prevalence estimates of selected psychiatric disorders in nonreferred adolescent population [Whitaker] 487 (My)
Opioid Peptides see Endorphins
Orosoucoid
Elevated plasma concentrations of alpha$_1$-acid glycoprotein, putative endogenous inhibitor of tritiated imipramine binding site, in depressed patients [Nemeroff] 337 (Ap)
Oscillators, Endogenous see Biological Clocks
Outcome and Process Assessment (Health Care)
Adult outcomes of childhood and adolescent depression: I. psychiatric status [Harrington] 465 (My)
Affective syndromes, psychotic features, and prognosis: I. depression, [Coryell] 651; II. mania [Coryell] 658 (Jy)
Outcome in mania: a 4-year prospective follow-up of 75 patients utilizing survival analysis [Tohen] 1106 (De)
Outcome in manic disorders: naturalistic-follow-up study [Harrow] 665 (Jy)
Outcome of panic disorder: relationship to diagnostic subtypes and comorbidity [Noyes] 809 (Se)
Role of therapeutic alliance in treatment of schizophrenia: relationship to course and outcome [Frank] 228 (Mr)
3-year outcomes for maintenance therapies in recurrent depression [Frank] 1093 (De)
Outpatients see Patients
Overinclusion see Cognition Disorders

P

Pain
Multiple pains and psychiatric disturbance: epidemiologic investigation [Dworkin] 239 (Mr)
Panic see Fear
Paranoia see Paranoid Disorders
Paranoid Disorders
Increased morbid risk of schizophrenia-related disorders in relatives of schizotypal personality disordered patients [Siever] 634 (Jy)
Paranoid Psychoses see Paranoid Disorders
Parietal Lobe
What is left of attention in schizophrenia? (letter) [Coppola] 291 (Mr)
What is left of attention in schizophrenia? (letter) [Coppola] 393, (reply) [Posner] 394 (Ap)
Patient Advocacy
Prospective, multicenter study of patients' refusal of antipsychotic medication [Hoge] 949 (Oc)
Patient Compliance
Prospective, multicenter study of patients' refusal of antipsychotic medication [Hoge] 949 (Oc)
Surreptitious noncompliance with oral fluphenazine in voluntary inpatient population (letter) [Van Putten] 786 (Au)
Patient Ombudsmen see Patient Advocacy
Patient Representatives see Patient Advocacy
Patients
Changes in mood, craving, and sleep during short-term abstinence reported by male cocaine addicts: a controlled residential study [Weddington] 861 (Se)
Comparison study of antidepressants and structured intensive group psychotherapy in treatment of bulimia nervosa [Mitchell] 149 (Fe)
Déjà vu in depression research (letter) [Raahkis]; (editorial comment) [Freedman] 688 (Jy)
NIMH collaborative research on treatment of depression (letter) [Klein] 682; (replies) [Elkin, Hirschfeld, Klerman] 684-686 (Jy)
Surreptitious noncompliance with oral fluphenazine in voluntary inpatient population (letter) [Van Putten] 786 (Au)
Patients' Rights see Patient Advocacy
Pediatrics
Relevance of childhood psychiatric disorder for pediatric primary care consultations (letter) [Garralda] (reply) [Costello] 89 (Ja)
Pentagastrin
Cholecystokinin-4 and panic (letter) [Abelson] 395 (Ap)
Peptides
Altered cerebrospinal fluid neuropeptide Y and peptide YY immunoreactivity in anorexia and bulimia nervosa [Kaye] 548 (Je)
Cholecystokinin-4 and panic (letter) [Abelson] 395 (Ap)
Perceptual Motor Performance see Psychomotor Performance
Personality
Extreme temperament and diagnosis: study in psychiatric sample of consecutive children [Maziade] 477 (My)
Long-term therapeutic use of benzodiazepine: I. effects of abrupt discontinuation [Rickels] 899; II. effects of gradual taper [Schweizer] 908 (Oc)
Personality Disorder, Antisocial see Antisocial Personality Disorder
Personality Disorders
Diagnosing personality disorders in community: comparison of self-report and interview measures [Zimmerman] 527 (Je)
Impact of *DSM-III* on diagnostic practice in university hospital: comparison of *DSM-II* and *DSM-III* in 10 914 patients [Loranger] 672 (Jy)
Increased morbid risk of schizophrenia-related disorders in relatives of schizotypal personality disordered patients [Siever] 634 (Jy)
Outcome of panic disorder: relationship to diagnostic subtypes and comorbidity [Noyes] 809 (Se)
Serotonergic studies in patients with affective and personality disorders: correlates with suicidal and impulsive aggressive behavior [Coccaro] 48:587 (Jy); correction, 47:124 (Fe)
Standardized assessment of personality disorders in obsessive-compulsive disorder [Baer] 826 (Se)
Transient hypochondriasis [Barsky] 746 (Au)
Personality Inventory
Is *DMS-IV* needed at all? (letter) [Zimmerman] 974 (Oc)
Phenelzine
Atypical depression, panic attacks, and response to imipramine and phenelzine: a replication [Quitkin] 935 (Oc)
Treatment of posttraumatic stress disorder with amitriptyline and placebo [Davidson] 259 (Mr)
Phobic Disorders
Familial transmission of simple phobias and fears: preliminary report [Fyer] 252 (Mr)

Outcome of panic disorder: relationship to diagnostic subtypes and comorbidity [Noyes] 809 (Se)
Panic disorder, comorbidity, and suicide attempts [Johnson] 805 (Se)
Psychiatric correlates of behavioral inhibition in young children of parents with and without psychiatric disorders [Biederman] 21 (Ja)

Phobic Neuroses see Phobic Disorders

Phosphoproteins
Analysis of synapsin II, a neuronal phosphoprotein, in postmortem brain tissue from alcoholic and neuropsychiatrically ill adults and medically ill children and young adults [Grebb] 1149 (De)

Photoreceptors
Are deficient retinal photoreceptor renewal mechanisms involved in the pathogenesis of winter depression? (letter) [Remé] 878 (Se)
Do winter depressives experience summer nights in winter? (letter) [Beersma] 879 (Se)

Phototherapy
Altered waveform of plasma nocturnal melatonin secretion in premenstrual depression [Parry] 1139 (De)
Corrections and additions to history of light therapy and seasonal affective disorder (letter) [Kern] 90, (reply) [Wehr] 91 (Ja)
Morning vs evening light treatment for winter depression: evidence that therapeutic effects of light are mediated by circadian phase shifts [Sack] 343 (Ap)
Seasonal independence of low prolactin concentration and high spontaneous eye blink rates in unipolar and bipolar II seasonal affective disorder [Depue] 356 (Ap)

Physician-Patient Relations
Role of therapeutic alliance in treatment of schizophrenia: relationship to course and outcome [Frank] 228 (Mr)

Physicians, Family
Relevance of childhood psychiatric disorder for pediatric primary care consultations (letter) [Garralda] (reply) [Costello] 89 (Ja)

Pituitary-Adrenal System
Beta-lipotropin—beta-endorphin response to low-dose ovine corticotropin releasing factor in endogenous depression: preliminary studies [Young] 449 (My)
Hypothalamic-pituitary-adrenal axis functioning and cerebrospinal fluid corticotropin releasing hormone and corticoptropin levels in alcoholics after recent and long-term abstinence [Adinoff] 325 (Ap)

Placebos
Treatment of premenstrual dysphoria with alprazolam: controlled study [Harrision] 270 (Mr)

Plasma
Altered waveform of plasma nocturnal melatonin secretion in premenstrual depression [Parry] 1139 (De)

Platelet Aggregation
Alpha$_2$-adrenoceptor-mediated inhibition of platelet adenylate cyclase and induction of aggregation in major depression: effect of long-term cyclic antidepressant drug treatment [García-Sevilla] 125 (Fe)

Pons
Cocaine-induced reduction of glucose utilization in human brain: study using positron emission tomography and [fluorine 18]-fluorodeoxyglucose [London] 567 (Je)

Postmortem Changes
Analysis of synapsin II, a neuronal phosphoprotein, in postmortem brain tissue from alcoholic and neuropsychiatrically ill adults and medically ill children and young adults [Grebb] 1149 (De)

Prazosin
Autoradiographic analysis of alpha$_1$-noradrenergic receptors in the human brain post mortem: effect of suicide [Gross-Isseroff] 1049 (No)

Prednisone
Prednisone effects on neurochemistry and behavior: preliminary findings [Wolkowitz] 963 (Oc)

Pregnancy
Exposure to influenza epidemics during gestation and adult schizophrenia: a 40-year study [Barr] 869 (Se)
Influenza and schizophrenia: Helsinki vs Edinburgh (letters) [Mednick, Bowler] 875, 876 (reply) [Kendell] 877 (Se)
Update on Helsinki influenza project (letter) [Mednick] 292 (Mr)

Premenstrual Syndrome
Altered waveform of plasma nocturnal melatonin secretion in premenstrual depression [Parry] 1139 (De)
Treatment of premenstrual dysphoria with alprazolam: controlled study [Harrision] 270 (Mr)

Primary Care Physicians see Physicians, Family

Probability
Déjà vu in depression research (letter) [Rashkis]; (editorial comment) [Freedman] 688 (Jy)
NIMH collaborative research on treatment of depression (letter) [Klein] 682; (replies) [Elkin, Hirschfeld, Klerman] 684-686 (Jy)
Toward a scientific psychiatric nosology: strengths and limitations [Kendler] 969 (Oc)

Prognosis
Adult outcomes of childhood and adolescent depression: I. psychiatric status [Harrington] 465 (My)
Affective syndromes, psychotic features, and prognosis: I. depression, [Coryell] 651; II. mania [Coryell] 658 (Jy)
Diagnostic utility of lactate sensitivity in panic disorder [Cowley] 277 (Mr)
Outcome of panic disorder: relationship to diagnostic subtypes and comorbidity [Noyes] 809 (Se)
Positive and negative symptoms in schizophrenia: critical reappraisal [Andreasen] 615 (Jy)
Role of therapeutic alliance in treatment of schizophrenia: relationship to course and outcome [Frank] 228 (Mr)

Prolactin
Effects of carbamazepine on dopamine- and serotonin-mediated neuroendocrine responses [Elphick] 135 (Fe)
Preliminary evidence of serotonin (5-HT-1-like) component to prolactin response to buspirone challenge in humans (letter) [Coccaro] 594 (Je)
Prolactin and cortisol responses to MK-212, a serotonin agonist, in obsessive-compulsive disorder [Bastani] 833 (Se)
Seasonal independence of low prolactin concentration and high spontaneous eye blink rates in unipolar and bipolar II seasonal affective disorder [Depue] 356 (Ap)
Serotonergic studies in patients with affective and personality disorders: correlates with suicidal and impulsive aggressive behavior [Coccaro] 48:587 (Jy); correction, 47:124 (Fe)

Psychiatric Status Rating Scales
Adult outcomes of childhood and adolescent depression: I. psychiatric status [Harrington] 465 (My)
Alcoholism—North America and Asia: comparison of population surveys with Diagnostic Interview Schedule [Helzer] 313 (Ap)
Controlled dose comparison of haloperidol in newly admitted schizophrenic patients [Van Putten] 754 (Au)
Development of diagnostic checklists for use in routine clinical care [Hiller] 782; (editorial comment) [Freedman] 784 (Au)
Development of DSM-IV (letter) [Ellis] 92 (Ja)
Diagnosing personality disorders in community: comparison of self-report and interview measures [Zimmerman] 527 (Je)
Diagnostic interview for narcissistic patients [Gunderson] 676 (Jy)
Increased morbid risk of schizophrenia-related disorders in relatives of schizotypal personality disordered patients [Siever] 634 (Jy)
Is *DMS-IV* needed at all? (letter) [Zimmerman] 974 (Oc)
Memory complaints and impairment in normal, depressed, and demented elderly persons identified in community survey [O'Connor] 224 (Mr)
Migraine and psychopathology: results of the Zurich cohort study of young adults [Merikangas] 849 (Se)
Outcome of panic disorder: relationship to diagnostic subtypes and comorbidity [Noyes] 809 (Se)
Panic disorder, comorbidity, and suicide attempts [Johnson] 805 (Se)
Psychiatric morbidity in research volunteers (letter) [Thaker] 980 (Oc)
Risk factors for the onset of diagnostic interview schedule/*DSM-III* agoraphobia in prospective, population-based study [Eaton] 819 (Se)
SCAN: schedules for clinical assessment in neuropsychiatry [Wing] 589 (Je)
Standardized assessment of personality disorders in obsessive-compulsive disorder [Baer] 826 (Se)
Structured psychiatric intervention for cancer patients: I. changes over time in methods of coping and affective disturbance [Fawzy] 720; II. Changes over time in immunological measures [Fawzy] 729 (Au)
Teaching Wisconsin Card Sorting Test to schizophrenic patients (letter) [Green] 91, (reply) [Goldberg] 92 (Ja)
Transient hypochondriasis [Barsky] 746 (Au)
2-year recall of lifetime diagnoses in offspring at high and low risk for major depression: the stability of offspring reports [Fendrich] 1121 (De)
Use of antidepressants in schizophrenia: diagnostic problems (letter) [Osser] 979, (replies) [Kramer, Spitzer] 979, 980 (Oc)

Psychiatry
SCAN: schedules for clinical assessment in neuropsychiatry [Wing] 589 (Je)
Training and career activity: experience of Yale Advanced Track Program [Sledge] 82 (Ja)

Psychoactive Agents see Psychotropic Drugs

Psychomotor Performance
Sensorimotor gating and schizophrenia: human and animal model studies [Braff] 181 (Fe)

Psychopathic Personality see Antisocial Personality Disorder

Psychopathology
Does brain dysfunction increase children's vulnerability to environmental stress? [Breslau] 15 (Ja)
Migraine and psychopathology: results of the Zurich cohort study of young adults [Merikangas] 849 (Se)
Risk factors for the onset of diagnostic interview schedule/*DSM-III* agoraphobia in prospective, population-based study [Eaton] 819 (Se)

Psychophysiology
Relationships between central and autonomic measures of arousal at age 15 years and criminality at age 24 years [Raine] 1003 (No)

Psychoses see Psychotic Disorders

Psychoses, Paranoid see Paranoid Disorders

Psychosis, Brief Reactive see Psychotic Disorders

Psychosocial Support Systems see Social Support

Psychotherapy
Comparison study of antidepressants and structured intensive group psychotherapy in treatment of bulimia nervosa [Mitchell] 149 (Fe)
Corrections and revised analyses for psychotherapy in methadone maintenance patients (letter) [Woody] 788 (Au)
Déjà vu in depression research (letter) [Rashkis]; (editorial comment) [Freedman] 688 (Jy)
Delta sleep ratio: a biological correlate of early recurrence in unipolar affective disorder [Kupfer] 1100 (De)
NIMH collaborative research on treatment of depression (letter) [Klein] 682; (replies) [Elkin, Hirschfeld, Klerman] 684-686 (Jy)
Role of therapeutic alliance in treatment of schizophrenia: relationship to course and outcome [Frank] 228 (Mr)
Second thought on 3,4-methylenedioxymethamphetamine (MDMA) neurotoxicity (letter) [Grob] 288, (reply) [Price] 289 (Mr)
3-year outcomes for maintenance therapies in recurrent depression [Frank] 1093 (De)
Treatment of recurrent unipolar major depressive disorder: commentary on the Pittsburgh Study [Klerman] 1158 (De)

Psychotic Disorders
Affective syndromes, psychotic features, and prognosis: I. depression, [Coryell] 651; II. mania [Coryell] 658 (Jy)
Controlled dose comparison of haloperidol in newly admitted schizophrenic patients [Van Putten] 754 (Au)
Development of diagnostic checklists for use in routine clinical care [Hiller] 782; (editorial comment) [Freedman] 784 (Au)
Fluphenazine dose, clinical response, and extrapyramidal symptoms during acute treatment [Levinson] 761 (Au)
Use of antidepressants in schizophrenia: diagnostic problems (letter) [Osser] 979, (replies) [Kramer, Spitzer] 979, 980 (Oc)

Psychotropic Drugs
Changes in mood, craving, and sleep during short-term abstinence reported by male cocaine addicts: a controlled residential study [Weddington] 861 (Se)

Public Health
Déjà vu in depression research (letter) [Rashkis]; (editorial comment) [Freedman] 688 (Jy)
NIMH collaborative research on treatment of depression (letter) [Klein] 682; (replies) [Elkin, Hirschfeld, Klerman] 684-686 (Jy)
3-year outcomes for maintenance therapies in recurrent depression [Frank] 1093 (De)

Putamen
D_2 dopamine receptors in neuroleptic-naive schizophrenic patients: positron emission tomography study with ^{11}Craclopride [Farde] 213 (Mr)

Pyrrolidinones
Nicotine exposure among nondependent smokers [Shiffman] 333 (Ap)

Pyrrolidones see Pyrrolidinones

Q

Quality of Life
Panic disorder, comorbidity, and suicide attempts [Johnson] 805 (Se)

Questionnaires
Diagnosing personality disorders in community: comparison of self-report and interview measures [Zimmerman] 527 (Je)

R

Radiology
Elevation of dopamine D_2 receptors in schizophrenia is underestimated by radioactive raclopride (letter) [Seeman] 1170 (De)

Reaction Time
What is left of attention in schizophrenia? (letter) [Coppola] 291 (Mr)

Receptors, Adrenergic
Alpha$_2$-adrenoceptor-mediated inhibition of platelet adenylate cyclase and induction of aggregation in major depression: effect of long-term cyclic antidepressant drug treatment [García-Sevilla] 125 (Fe)

Receptors, Adrenergic, Alpha
Autoradiographic analysis of alpha$_1$-noradrenergic receptors in the human brain postmortem: effect of suicide [Gross-Isseroff] 1049 (No)

Receptors, Adrenergic, Beta
Autoradiographic analysis of alpha$_1$-noradrenergic receptors in the human brain postmortem: effect of suicide [Gross-Isseroff] 1049 (No)
Normalization of blunted lymphocyte beta-adrenergic responsivity in melancholic inpatients by course of electroconvulsive therapy [Mann] 461 (My)

Receptors, Alpha Adrenergic see Receptors, Adrenergic, Alpha

Receptors, Benzodiazepine see Receptors, GABA-Benzodiazepine

Receptors, Benzodiazepine-GABA see Receptors, GABA-Benzodiazepine

Receptors, Beta Adrenergic see Receptors, Adrenergic, Beta

Receptors, Diazepam see Receptors, GABA-Benzodiazepine

Receptors, Dopamine
D_2 dopamine receptors in neuroleptic-naive schizophrenic patients: positron emission tomography study with ^{11}Craclopride [Farde] 213 (Mr)
Elevation of dopamine D_2 receptors in schizophrenia is underestimated by radioactive raclopride (letter) [Seeman] 1170 (De)
Gilles de la Tourette syndrome is not linked to D_2-dopamine receptor [Gelernter] 1073 (No)

Receptors, GABA-Benzodiazepine
Flumazenil provocation of panic attacks: evidence for altered benzodiazepine receptor sensitivity in panic disorder [Nutt] 917 (Oc)
Reduced benzodiazepine sensitivity in panic disorder [Roy-Byrne] 534 (Je)

Receptors, Gamma-Aminobutyric Acid see Receptors, GABA-Benzodiazepine

Receptors, Interleukin-2
Psychological stress-induced modulation of interleukin 2 receptor gene expression and interleukin 2 production in peripheral blood leukocytes [Glaser] 707 (Au)

Receptors, Muscimol see Receptors, GABA-Benzodiazepine

Regression (Psychology)
Factors associated with 1-year outcome of major depression in community [Sargeant] 519 (Je)

Regression Analysis
Antecedents of predominantly negative- and predominantly positive- symptom schizophrenia in high-risk population [Cannon] 622 (Jy)
Cerebrospinal fluid and plasma monoamine metabolites and their relation to psychosis: implications for regional brain dysfunction in schizophrenia [Pickar] 641 (Jy)
Factors associated with 1-year outcome of major de-

pression in community [Sargeant] 519 (Je)
Research
Statistical analysis of repeated measures in psychiatric research [Ekstrom] 770 (Au)
Toward a scientific psychiatric nosology: strengths and limitations [Kendler] 969 (Oc)
Research Design
ANOVA, MANOVA, my black hen: comments on repeated measures [Lavori] 775 (Au)
Comment on selection of 'healthy controls' for psychiatric experiments (letter) [Gibbons] 785 (Au)
Evaluation of different approaches to randomized clinical trials: report on the 1987 MacArthur Foundation Network I Methodology Workshop [Kraemer] 1163 (De)
Response Interference see Cognition Disorders
Right to Treatment see Patient Advocacy
Risk Factors
Adult outcomes of childhood and adolescent depression: I. psychiatric status [Harrington] 465 (My)
Alcoholism—North America and Asia: comparison of population surveys with Diagnostic Interview Schedule [Helzer] 313 (Ap)
Antecedents of predominantly negative- and predominantly positive- symptom schizophrenia in high-risk population [Cannon] 622 (Jy)
Clozapine and electroconvulsive therapy (letter) [Fink] 290, (reply) [Meltzer] 291 (Mr)
Does brain dysfunction increase children's vulnerability to environmental stress? [Breslau] 15 (Ja)
Familial transmission of simple phobias and fears: preliminary report [Fyer] 252 (Mr)
Increased morbid risk of schizophrenia-related disorders in relatives of schizotypal personality disordered patients [Siever] 634 (Jy)
Infection with human immunodeficiency virus and vulnerability to psychiatric distress: study of men with hemophilia [Dew] 737 (Au)
Influenza and schizophrenia: Helsinki vs Edinburgh (letters) [Mednick, Bowler] 875, 876 (reply) [Kendell] 877 (Se)
Lifetime risk of suicide in alcoholism [Murphy] 383 (Ap)
Neuropsychological assessment of monozygotic twins discordant for schizophrenia [Goldberg] 1066 (No)
Nicotine use as a possible risk factor for subcortical abnormalities (letter) [Epstein] 1172 (De)
Offspring of twins with schizophrenia (letter) [Torrey] 976, (reply) [Bertelsen] 977 (Oc)
Outcome in mania: a 4-year prospective follow-up of 75 patients utilizing survival analysis [Tohen] 1106 (De)
Psychiatric correlates of behavioral inhibition in young children of parents with and without psychiatric disorders [Biederman] 21 (Ja)
Rapid cycling bipolar affective disorder: I. association with grade I hypothyroidism [Bauer] 427; II. treatment of refractory rapid cycling with high-dose levothyroxine: preliminary study [Bauer] 435 (My)
Risk factors for the onset of diagnostic interview schedule/*DSM-III* agoraphobia in prospective, population-based study [Eaton] 819 (Se)
2-year recall of lifetime diagnoses in offspring at high and low risk for major depression: the stability of offspring reports [Fendrich] 1121 (De)
RNA
Psychological stress-induced modulation of interleukin 2 receptor gene expression and interleukin 2 production in peripheral blood leukocytes [Glaser] 707 (Au)
Rods and Cones
Are deficient retinal photoreceptor renewal mechanisms involved in the pathogenesis of winter depression? (letter) [Remé] 878 (Se)

S

Schizoaffective Disorder see Psychotic Disorders
Schizophrenia
Affective syndromes, psychotic features, and prognosis: I. depression, [Coryell] 651; II. mania [Coryell] 658 (Jy)
Analysis of synapsin II, a neuronal phosphoprotein, in postmortem brain tissue from alcoholic and neuropsychiatrically ill adults and medically ill children and young adults [Grebb] 1149 (De)
Antecedents of predominantly negative- and predominantly positive- symptom schizophrenia in high-risk population [Cannon] 622 (Jy)
Cerebrospinal fluid and plasma monoamine metabolites and their relation to psychosis: implications for regional brain dysfunction in schizophrenia [Pickar] 641 (Jy)
Circadian variation of plasma homovanillic acid levels is attenuated by fluphenazine in patients with schizophrenia [Doran] 558 (Je)
Clozapine and electroconvulsive therapy (letter) [Fink] 290, (reply) [Meltzer] 291 (Mr)
Controlled dose comparison of haloperidol in newly admitted schizophrenic patients [Van Putten] 754 (Au)
D_2 dopamine receptors in neuroleptic-naive schizophrenic patients: positron emission tomography study with ^{11}Craclopride [Farde] 213 (Mr)
Development of diagnostic checklists for use in routine clinical care [Hiller] 782; (editorial comment) [Freedman] 784 (Au)
Development of DSM-IV (letter) [Ellis] 92 (Ja)
Effects of D-1 agonist SKF-38393 combined with haloperidol in schizophrenic patients (letter) [Davidson] 190 (Fe)
Elevation of dopamine D_2 receptors in schizophrenia is underestimated by radioactive raclopride (letter) [Seeman] 1170 (De)
Exposure to influenza epidemics during gestation and adult schizophrenia: a 40-year study [Barr] 869 (Se)
Factors associated with 1-year outcome of major depression in community [Sargeant] 519 (Je)
Fluphenazine dose, clinical response, and extrapyramidal symptoms during acute treatment [Levinson] 761 (Au)
Hippocampus and parahippocampus in schizophrenic, suicide, and control brains [Altshuler] 1029 (No)
HLA-B38, DR4, DQw3 and clozapine-induced agranulocytosis in Jewish patients with schizophrenia [Lieberman] 945 (Oc)
How old is lesion presenting as schizophrenia? relevance to laterality question (letter) [Bracha] 393 (Ap)
Impact of *DSM-III* on diagnostic practice in university hospital: comparison of *DSM-II* and *DSM-III* in 10 914 patients [Loranger] 672 (Jy)
Increased distractibility in schizophrenic patients: electrophysiologic and behavioral evidence [Grillon] 171 (Fe)
Increased morbid risk of schizophrenia-related disorders in relatives of schizotypal personality disordered patients [Siever] 634 (Jy)
Influenza and schizophrenia: Helsinki vs Edinburgh (letters) [Mednick, Bowler] 875, 876 (reply) [Kendell] 877 (Se)
Is clozapine response different in neuroleptic nonresponders vs partial responders? (letter) [Osser] (reply) [Kane] 189 (Fe)
Limbic structures and lateral ventricle in schizophrenia: a quantitative postmortem study [Heckers] 1016 (No)
Magnetic resonance imaging of brain in schizophrenia: pathophysiologic significance of structural abnormalities [Andreasen] 35 (Ja)
More on ethics of drug discontinuation studies in schizophrenia (letter) [Neylan] 192 (Fe)
Neuropsychological assessment of monozygotic twins discordant for schizophrenia [Goldberg] 1066 (No)
Norepinephrine in acute exacerbations of chronic schizophrenia: negative symptoms revisited [van Kammen] 161 (Fe)
Offspring of twins with schizophrenia (letter) [Torrey] 976, (reply) [Bertelsen] 977 (Oc)
Positive and negative symptoms in schizophrenia: critical reappraisal [Andreasen] 615 (Jy)
Pronounced reduction of total neuron number in mediodorsal thalamic nucleus and nucleus accumbens in schizophrenics [Pakkenberg] 1023 (No)
Role of therapeutic alliance in treatment of schizophrenia: relationship to course and outcome [Frank] 228 (Mr)
Sensorimotor gating and schizophrenia: human and animal model studies [Braff] 181 (Fe)
Structural and functional characteristics of the corpus callosum in schizophrenics, psychiatric controls, and normal controls: a magnetic resonance imaging and neuropsychological evaluation [Raine] 1060 (No)
Structural brain abnormalities in bipolar affective disorder: ventricular enlargement and focal signal hyperintensities [Swayze] 1054 (No)
Surreptitious noncompliance with oral fluphenazine in voluntary inpatient population (letter) [Van Putten] 786 (Au)
Teaching Wisconsin Card Sorting Test to schizophrenic patients (letter) [Green] 91, (reply) [Goldberg] 92 (Ja)
Update on Helsinki influenza project (letter) [Mednick] 292 (Mr)
Use of antidepressants in schizophrenia: diagnostic problems (letter) [Osser] (replies) [Kramer, Spitzer] 979, 980 (Oc)
Ventricular enlargement in schizophrenia evaluated with computed tomographic scanning: effects of gender, age, and stage of illness [Andreasen] 1008 (No)
What is left of attention in schizophrenia? (letter) [Coppola] 291 (Mr)
What is left of attention in schizophrenia? (letter) [Coppola] 393, (reply) [Posner] 394 (Ap)
Schizophreniform Disorders see Psychotic Disorders
Schizotypal Personality Disorder
Diagnosing personality disorders in community: comparison of self-report and interview measures [Zimmerman] 527 (Je)
Increased morbid risk of schizophrenia-related disorders in relatives of schizotypal personality disordered patients [Siever] 634 (Jy)
Standardized assessment of personality disorders in obsessive-compulsive disorder [Baer] 826 (Se)
Scotland
Influenza and schizophrenia: Helsinki vs Edinburgh (letters) [Mednick, Bowler] 875, 876 (reply) [Kendell] 877 (Se)
Seasons
Are deficient retinal photoreceptor renewal mechanisms involved in the pathogenesis of winter depression? (letter) [Remé] 878 (Se)
Corrections and additions to history of light therapy and seasonal affective disorder (letter) [Kern] 90, (reply) [Wehr] 91 (Ja)
Do winter depressives experience summer nights in winter? (letter) [Beersma] 879 (Se)
Influenza and schizophrenia: Helsinki vs Edinburgh (letters) [Mednick, Bowler] 875, 876 (reply) [Kendell] 877 (Se)
Morning vs evening light treatment for winter depression: evidence that therapeutic effects of light are mediated by circadian phase shifts [Sack] 343 (Ap)
Seizures
Effects of carbamazepine on dopamine- and serotonin-mediated neuroendocrine responses [Elphick] 135 (Fe)
Septal Nuclei
Pronounced reduction of total neuron number in mediodorsal thalamic nucleus and nucleus accumbens in schizophrenics [Pakkenberg] 1023 (No)
Serotonin
Autoradiographic demonstration of increased serotonin 5-HT_2 and beta-adrenergic receptor binding sites in the brain of suicide victims [Arango] 1038 (No)
Cerebrospinal fluid monoamine metabolites, aggression, and impulsivity in disruptive behavior disorders of children and adolescents [Kruesi] 419 (My)
Controlled comparisons of clomipramine and fluoxetine in the treatment of obsessive-compulsive disorder: behavioral and biological results [Pigott] 926 (Oc)
Effects of carbamazepine on dopamine- and serotonin-mediated neuroendocrine responses [Elphick] 135 (Fe)
Lithium treatment effect on serotonin function (letter) [Glue] 289, (reply) [Price] 290 (Mr)
Memory improvement in Korsakoff's disease with fluvoxamine (letter) [McEntee] (reply) [Martin] 978 (Oc)
Preliminary evidence of serotonin (5-HT-1-like) component to prolactin response to buspirone challenge in humans (letter) [Coccaro] 594 (Je)
Prolactin and cortisol responses to MK-212, a serotonin agonist, in obsessive-compulsive disorder [Bastani] 833 (Se)
Second thought on 3,4-methylenedioxymethamphetamine (MDMA) neurotoxicity (letter) [Grob] 288, (reply) [Price] 289 (Mr)
Serotonergic studies in patients with affective and personality disorders: correlates with suicidal and impulsive aggressive behavior [Coccaro] **46**:587 (Jy); correction, **47**:124 (Fe)
Serotonin function and mechanism of antidepressant action: reversal of antidepressant-induced remission by rapid depletion of plasma tryptophan [Delgado] 411 (My)
Specificity of serotonin reuptake inhibitors in treatment of obsessive-compulsive disorder: comparison of fluvoxamine and desipramine [Goodman] 577 (Je)
Serotonin Antagonists
Prolactin and cortisol responses to MK-212, a serotonin agonist, in obsessive-compulsive disorder [Bastani] 833 (Se)
Specificity of serotonin reuptake inhibitors in treatment of obsessive-compulsive disorder: comparison of fluvoxamine and desipramine [Goodman] 577 (Je)
Serotonin Blockaders see Serotonin Antagonists
Severity of Illness Index
Long-term therapeutic use of benzodiazepine, I. effects of abrupt discontinuation [Rickels] 899; II. effects of gradual taper [Schweizer] 908 (Oc)
Magnetic resonance imaging and severity of dementia in older adults [Bondareff] 47 (Ja)
Major depressive disorder, alcoholism, and reduced natural killer cell cytotoxicity: role of severity of depressive symptoms and alcohol consumption [Irwin] 713 (Au)
Rapid cycling bipolar affective disorder: I. association with grade I hypothyroidism [Bauer] 427; II. treatment of refractory rapid cycling with high-dose levothyroxine: preliminary study [Bauer] 435 (My)
Sex Factors
Magnetic resonance imaging of brain in schizophrenia: pathophysiologic significance of structural abnormalities [Andreasen] 35 (Ja)
Outcome in mania: a 4-year prospective follow-up of 75 patients utilizing survival analysis [Tohen] 1106 (De)
Ventricular enlargement in schizophrenia evaluated with computed tomographic scanning: effects of gender, age, and stage of illness [Andreasen] 1008 (No)
Sleep
Delta sleep ratio: a biological correlate of early recurrence in unipolar affective disorder [Kupfer] 1100 (De)
Treatment of recurrent unipolar major depressive disorder: commentary on the Pittsburgh Study [Klerman] 1158 (De)
Sleep Deprivation
Rapid eye movement sleep deprivation as a probe in elderly subjects [Reynolds] 1128 (De)
Sleep Disorders
Recurrent depression is associated with persistent reduction in sleep-related growth hormone secretion [Jarrett] 113 (Fe)
Sleep, REM
Children with major depression show reduced rapid eye movement latencies [Emslie] 119 (Fe)
Delta sleep ratio: a biological correlate of early recurrence in unipolar affective disorder [Kupfer] 1100 (De)
Rapid eye movement sleep deprivation as a probe in elderly subjects [Reynolds] 1128 (De)
Recurrent depression is associated with persistent reduction in sleep-related growth hormone secretion [Jarrett] 113 (Fe)
Sleep architecture in eating disorders (letter) [Walsh] 880 (Se)
Treatment of recurrent unipolar major depressive disorder: commentary on the Pittsburgh Study [Klerman] 1158 (De)
Smoking
Metabolic abnormalities in bulimia nervosa [Devlin] 144 (Fe)
Nicotine exposure among nondependent smokers [Shiffman] 333 (Ap)
Social Behavior
Nicotine exposure among nondependent smokers

[Shiffman] 333 (Ap)
Social Environment
Antecedents of predominantly negative- and predominantly positive- symptom schizophrenia in high-risk population [Cannon] 622 (Jy)
Social Support
Factors associated with 1-year outcome of major depression in community [Sargeant] 519 (Je)
Infection with human immunodeficiency virus and vulnerability to psychiatric distress: study of men with hemophilia [Dew] 737 (Au)
Socioeconomic Factors
Infection with human immunodeficiency virus and vulnerability to psychiatric distress: study of men with hemophilia [Dew] 737 (Au)
Positive and negative symptoms in schizophrenia: critical reappraisal [Andreasen] 615 (Jy)
Relationship between anxiety disorders and depressive disorders in patients with cerebrovascular injury [Starkstein] 246 (Mr)
Relevance of childhood psychiatric disorder for pediatric primary care consultations (letter) [Garralda] (reply) [Costello] 89 (Ja)
Risk factors for the onset of diagnostic interview schedule/*DSM-III* agoraphobia in prospective, population-based study [Eaton] 819 (Se)
Somatization Disorder see Somatoform Disorders
Somatoform Disorders
Factors associated with 1-year outcome of major depression in community [Sargeant] 519 (Je)
Multiple pains and psychiatric disturbance: epidemiologic investigation [Dworkin] 239 (Mr)
Somatotropin Releasing Hormone
Recurrent depression is associated with persistent reduction in sleep-related growth hormone secretion [Jarrett] 113 (Fe)
Statistics
ANOVA, MANOVA, my black hen: comments on repeated measures [Lavori] 775 (Au)
Antecedents of predominantly negative- and predominantly positive- symptom schizophrenia in high-risk population [Cannon] 622 (Jy)
Comment on selection of 'healthy controls' for psychiatric experiments (letter) [Gibbons] 785 (Au)
Déjà vu in depression research (letter) [Rashkis]; (editorial comment) [Freedman] 688 (Jy)
NIMH collaborative research on treatment of depression (letter) [Klein] 682; (replies) [Elkin, Hirschfeld, Klerman] 684-686 (Jy)
Panic disorder, comorbidity, and suicide attempts [Johnson] 805 (Se)
Statistical analysis of repeated measures in psychiatric research [Ekstrom] 770 (Au)
Stress Disorders, Post-Traumatic
Naloxone-reversible analgesic response to combat-related stimuli in posttraumatic stress disorder: pilot study [Pitman] 541 (Je)
Treatment of posttraumatic stress disorder with amitriptyline and placebo [Davidson] 259 (Mr)
Stress, Psychological
Does brain dysfunction increase children's vulnerability to environmental stress? [Breslau] 15 (Ja)
Factors associated with 1-year outcome of major depression in community [Sargeant] 519 (Je)
Psychological stress-induced modulation of interleukin 2 receptor gene expression and interleukin 2 production in peripheral blood leukocytes [Glaser] 707 (Au)
Recurrent depression is associated with persistent reduction in sleep-related growth hormone secretion [Jarrett] 113 (Fe)
Relevance of childhood psychiatric disorder for pediatric primary care consultations (letter) [Garralda] (reply) [Costello] 89 (Ja)
Stroke see Cerebrovascular Disorders
Substance Abuse
Alcoholism—North America and Asia: comparison of population surveys with Diagnostic Interview Schedule [Helzer] 313 (Ap)
Changes in mood, craving, and sleep during short-term abstinence reported by male cocaine addicts: a controlled residential study [Weddington] 861 (Se)
Clinical importance of age at onset in type 1 and type 2 primary alcoholics [Irwin] 320 (Ap)
Cocaine-induced reduction of glucose utilization in human brain: study using positron emission tomography and [fluorine 18]-fluorodeoxyglucose [London] 567 (Je)
Factors associated with 1-year outcome of major depression in community [Sargeant] 519 (Je)
Familial transmission of simple phobias and fears: preliminary report [Fyer] 252 (Mr)
Morphine-induced metabolic changes in human brain: studies with positron emission tomography and [fluorine 18] fluorodeoxyglucose [London] 73 (Ja)
Nicotine exposure among nondependent smokers [Shiffman] 333 (Ap)
2-year recall of lifetime diagnoses in offspring at high and low risk for major depression: the stability of offspring reports [Fendrich] 1121 (De)
Substance Abuse, Intravenous
Changes in mood, craving, and sleep during short-term abstinence reported by male cocaine addicts: a controlled residential study [Weddington] 861 (Se)
Substance Withdrawal Syndrome
Changes in mood, craving, and sleep during short-term abstinence reported by male cocaine addicts: a controlled residential study [Weddington] 861 (Se)
Suicide
Autoradiographic analysis of alpha$_1$-noradrenergic receptors in the human brain postmortem: effect of suicide [Gross-Isseroff] 1049 (No)
Autoradiographic demonstration of increased serotonin 5-HT$_2$ and beta-adrenergic receptor binding sites in the brain of suicide victims [Arango] 1038 (No)
Hippocampus and parahippocampus in schizophrenic, suicide, and control brains [Altshuler] 1029 (No)
Lifetime risk of suicide in alcoholism [Murphy] 383 (Ap)
Panic disorder, comorbidity, and suicide attempts [Johnson] 805 (Se)
Serotonergic studies in patients with affective and personality disorders: correlates with suicidal and impulsive aggressive behavior [Coccaro] **48**:587 (Jy); correction, **47**:124 (Fe)
Switzerland
Migraine and psychopathology: results of the Zurich cohort study of young adults [Merikangas] 849 (Se)
Synapses
Analysis of synapsin II, a neuronal phosphoprotein, in postmortem brain tissue from alcoholic and neuropsychiatrically ill adults and medically ill children and young adults [Grebb] 1149 (De)
Synapsin II
Analysis of synapsin II, a neuronal phosphoprotein, in postmortem brain tissue from alcoholic and neuropsychiatrically ill adults and medically ill children and young adults [Grebb] 1149 (De)

T

Television
Television violence (letter) [Gadow] 595, (reply) [Heath] 596 (Je)
Temperament see Personality
Temporal Lobe
Hippocampus and parahippocampus in schizophrenic, suicide, and control brains [Altshuler] 1029 (No)
Thalamic Nuclei
Pronounced reduction of total neuron number in mediodorsal thalamic nucleus and nucleus accumbens in schizophrenics [Pakkenberg] 1023 (No)
Thalamus
Limbic structures and lateral ventricle in schizophrenia: a quantitative postmortem study [Heckers] 1016 (No)
Thyroid Stimulating Hormone see Thyrotropin
Thyrolberin see Thyrotropin-Releasing Hormone
Thyrotropin
Difference between evening and morning thyrotropin responses to protirelin in major depressive episode [Duval] 443 (My)
Metabolic abnormalities in bulimia nervosa [Devlin] 144 (Fe)
Rapid cycling bipolar affective disorder: I. association with grade I hypothyroidism [Bauer] 427; II. treatment of refractory rapid cycling with high-dose levothyroxine: preliminary study [Bauer] 435 (My)
Thyrotropin-Releasing Hormone
Difference between evening and morning thyrotropin responses to protirelin in major depressive episode [Duval] 443 (My)
Thyroxine
Rapid cycling bipolar affective disorder: I. association with grade I hypothyroidism [Bauer] 427; II. treatment of refractory rapid cycling with high-dose levothyroxine: preliminary study [Bauer] 435 (My)
L-Thyroxine see Thyroxine
Tomography, Emission-Computed
Cocaine-induced reduction of glucose utilization in human brain: study using positron emission tomography and [fluorine 18]-fluorodeoxyglucose [London] 567 (Je)
D$_2$ dopamine receptors in neuroleptic-naive schizophrenic patients: positron emission tomography study with ^{11}Craclopride [Farde] 213 (Mr)
Effects of D-1 agonist SKF-38393 combined with haloperidol in schizophrenic patients (letter) [Davidson] 190 (Fe)
Hippocampus and parahippocampus in schizophrenic, suicide, and control brains [Altshuler] 1029 (No)
Morphine-induced metabolic changes in human brain: studies with positron emission tomography and [fluorine 18] fluorodeoxyglucose [London] 73 (Ja)
Tomography, X-Ray Computed
Hippocampus and parahippocampus in schizophrenic, suicide, and control brains [Altshuler] 1029 (No)
Magnetic resonance imaging and severity of dementia in older adults [Bondareff] 47 (Ja)
Magnetic resonance imaging of brain in schizophrenia: pathophysiologic significance of structural abnormalities [Andreasen] 35 (Ja)
Positive and negative symptoms in schizophrenia: critical reappraisal [Andreasen] 615 (Jy)
Preservation of normal cognitive functioning in elderly subjects with extensive white-matter lesion of long duration [Fein] 220 (Mr)
Pronounced reduction of total neuron number in mediodorsal thalamic nucleus and nucleus accumbens in schizophrenics [Pakkenberg] 1023 (No)
Relationship between anxiety disorders and depressive disorders in patients with cerebrovascular injury [Starkstein] 246 (Mr)
Signs of central nervous system dysfunction in obsessive-compulsive disorder [Hollander] 27 (Ja)
Structural brain abnormalities in bipolar affective disorder: ventricular enlargement and focal signal hyperintensities [Swayze] 1054 (No)
Subcortical abnormalities detected in bipolar affective disorder using magnetic resonance imaging: clinical and neuropsychological significance [Dupont] 55 (Ja)
Ventricular enlargement in schizophrenia evaluated with computed tomographic scanning: effects of gender, age, and stage of illness [Andreasen] 1008 (No)
Tourette Syndrome
Gilles de la Tourette syndrome is not linked to D$_2$ dopamine receptor [Gelertner] 1073 (No)
Signs of central nervous system dysfunction in obsessive-compulsive disorder [Hollander] 27 (Ja)
Tourette's Disorder see Tourette Syndrome
Toxicology
Controlled dose comparison of haloperidol in newly admitted schizophrenic patients [Van Putten] 754 (Au)
Tranquilizing Agents, Major
Circadian variation of plasma homovanillic acid levels is attenuated by fluphenazine in patients with schizophrenia [Doran] 558 (Je)
D$_2$ dopamine receptors in neuroleptic-naive schizophrenic patients: positron emission tomography study with ^{11}Craclopride [Farde] 213 (Mr)
Effects of D-1 agonist SKF-38393 combined with haloperidol in schizophrenic patients (letter) [Davidson] 190 (Fe)
Fluphenazine dose, clinical response, and extrapyramidal symptoms during acute treatment [Levinson] 761 (Au)
HLA-B38, DR4, DQw3 and clozapine-induced agranulocytosis in Jewish patients with schizophrenia [Lieberman] 945 (Oc)
Is clozapine response different in neuroleptic nonresponders vs partial responders? (letter) [Osser] (reply) [Kane] 189 (Fe)
More on ethics of drug discontinuation studies in schizophrenia (letter) [Neylan] 192 (Fe)
Neuropsychological assessment of monozygotic twins discordant for schizophrenia [Goldberg] 1066 (No)
Prospective, multicenter study of patients' refusal of antipsychotic medication [Hoge] 949 (Oc)
Trichotillomania see Obsessive-Compulsive Disorder
Tricyclic Antidepressant Agents see Antidepressive Agents, Tricyclic
Trimipramine see Dibenzazepines
Tryptophan
Lithium treatment effect on serotonin function (letter) [Glue] 289, (reply) [Price] 290 (Mr)
Second thought on 3,4-methylenedioxymethamphetamine (MDMA) neurotoxicity (letter) [Grob] 288, (reply) [Price] 289 (Mr)
Serotonin function and mechanism of antidepressant action: reversal of antidepressant-induced remission by rapid depletion of plasma tryptophan [Delgado] 411 (My)
TSH see Thyrotropin
Twins
Neuropsychological assessment of monozygotic twins discordant for schizophrenia [Goldberg] 1066 (No)
Offspring of twins with schizophrenia (letter) [Torrey] 976, (reply) [Bertelsen] 977 (Oc)
United States
Autoradiographic demonstration of increased serotonin 5-HT$_2$ and beta-adrenergic receptor binding sites in the brain of suicide victims [Arango] 1038 (No)

V

Ventriculography, Cerebral
Magnetic resonance imaging of brain in schizophrenia: pathophysiologic significance of structural abnormalities [Andreasen] 35 (Ja)
Veterans
Naloxone-reversible analgesic response to combat-related stimuli in posttraumatic stress disorder: pilot study [Pitman] 541 (Je)
Treatment of posttraumatic stress disorder with amitriptyline and placebo [Davidson] 259 (Mr)
Vietnam
Naloxone-reversible analgesic response to combat-related stimuli in posttraumatic stress disorder: pilot study [Pitman] 541 (Je)
Vigilance, Cortical see Arousal
Violence
Cerebrospinal fluid monoamine metabolites, aggression, and impulsivity in disruptive behavior disorders of children and adolescents [Kruesi] 419 (My)
Television violence (letter) [Gadow] 595, (reply) [Heath] 596 (Je)
Visual Fields
What is left of attention in schizophrenia? (letter) [Coppola] 291 (Mr)

W

Weight Gain
Direction of weight change in recurrent depression: consistency across episodes [Stunkard] 857 (Se)
Weight Loss
Direction of weight change in recurrent depression: consistency across episodes [Stunkard] 857 (Se)
Withdrawal Symptoms see Substance Withdrawal Syndrome
Women
Sleep architecture in eating disorders (letter) [Walsh] 880 (Se)

X

X-Chromosome
X-chromosome markers and manic-depressive illness: rejection of linkage to Xq28 in 9 bipolar pedigrees [Berrettini] 366 (Ap)
X Chromosome 16 see Chromosomes, Human, Pair 16
Xenon
Regional cerebral blood flow in mood disorders: I. comparison of major depressives and normal controls at rest [Sackeim] 60 (Ja)
Structural brain abnormalities in bipolar affective disorder: ventricular enlargement and focal signal hyperintensities [Swayze] 1054 (No)


1.0
1.1
1.25
1.4
1.6
2.8
3.2
3.6
4.0
2.5
2.2
2.0
1.8